



Blitz®

Tackle your weeds early to give your crop a running start!

BLITZ® herbicide for preseed burn down; summer fallow or post-harvest when mixed with glyphosate for control of emerged, actively growing weeds. **BLITZ** is a Group 2 herbicide that binds to the Acetolactate synthase enzyme (ALS) and prevents the formation of amino acids which are essential for plant growth and weed survival.

GUARANTEE:

Florasulam 50 g/L

WEEDS:

BLITZ alone controls or suppresses the weeds below, if not resistant to Group 2 herbicides. **BLITZ** is usually applied in a tank mix with glyphosate for enhanced control of all weeds.

Controlled:

Wild buckwheat	Volunteer canola*
Common chickweed	Cleavers
Cow cockle	Wild mustard
Shepherd's-purse	Smartweed
Stinkweed	

*Including herbicide-tolerant canola varieties except Clearfield canola

Suppressed:

Hemp-nettle	Narrow-leaved hawks-beard
Redroot pigweed	Annual sow thistle
Perennial sow thistle**	

**Applications made at advanced leaf stages will reduce product effectiveness

DIRECTIONS FOR USE:

BLITZ herbicide may be tank mixed with glyphosate to control volunteer glyphosate-tolerant canola, wild buckwheat (up to 5 leaves) and top growth control of dandelion (up to 6-leaf stage) in addition to the labelled weeds controlled by **BLITZ** herbicide or glyphosate.

Apply **BLITZ** herbicide at 40 ml/ac (100 ml/ha) and glyphosate at 182.2 g a.e./ac (450 g a.e./ha) with 10 US gal of water per acre (100 L/ha).

TANK-MIX PARTNERS:

Glyphosate

PACKAGE SIZES:

3.2 L jug treats 80 acres

WHERE TO USE FOR MAXIMUM BENEFIT:

Spring: **BLITZ** herbicide plus glyphosate may be applied in the spring prior to seeding. Fields treated with **BLITZ** herbicide in the spring may be planted to barley, oats, wheat, durum or summer fallowed.

Summer (prior to August 1): **BLITZ** herbicide plus glyphosate may be applied to summer fallow fields and seeded the following spring to barley, canola, oats, peas or wheat (including durum) or summer fallowed.

Summer (after August 1): **BLITZ** herbicide plus glyphosate may be applied to summer fallow fields and seeded the following spring to barley, oats or wheat (including durum) or summer fallowed.

Fall: **BLITZ** herbicide plus glyphosate may be applied to stubble or summer fallow fields after August 1st and prior to freeze-up and may be seeded to barley, oats or wheat (including durum) or summer fallowed.

MIXING INSTRUCTIONS:

Water volume of 10 US gal/ac (100 L/ha)

1. Fill sprayer tank 1/2 full of water
2. Start sprayer tank agitation
3. Add the required amount of **BLITZ** herbicide
4. Add tank-mix partner and continue to agitate
5. Fill the sprayer tank with sufficient water to spray 50 to 100 L of spray mixture per hectare
6. Avoid application conditions that can create drift when applying next to sensitive crops (e.g. canola and legumes)
7. Follow sprayer clean-up directions using a recommended Nutrien Ag Solutions tank cleaner

LIMITATIONS:

On rare occasions when the mixing instructions are not followed precisely when using a K-Salt product, flocculation may occur in the tank. This can easily be corrected if one of the following products is added to the tank (after flocculating occurs) to rectify the situation:

- Choice Weather Master®
- EZ Mix®
- Ammonium Sulphate (AMS)



ALWAYS READ AND FOLLOW LABEL DIRECTIONS.

© 2020 Loveland Products, Inc. All Rights Reserved. All of the trademarks and service marks displayed are marks of their respective owners.

LOVELAND PRODUCTS CANADA, INC.® | 789 DONNYBROOK DRIVE | DORCHESTER, ONTARIO N0L 1G5 | www.LovelandProducts.ca

Nutrien
Ag Solutions™

Loveland
PRODUCTS