

2014-02-06
2013-2789
Datapak

SUPER SPREADER ADJUVANT

COMMERCIAL

**READ THE LABEL AND ATTACHED BROCHURE
BEFORE USING**

**REGISTRATION NO. 17402
PEST CONTROL PRODUCTS ACT**

GUARANTEE: Octylphenoxypolyethoxy ethanol 50%

**IN CASE OF EMERGENCY DUE TO A MAJOR SPILL, FIRE OR POISONING
INVOLVING THIS PRODUCT CALL DAY OR NIGHT, 1-800-561-8273**

**LOVELAND PRODUCTS CANADA INC.
789 Donnybrook Drive
Dorchester, Ontario
N0L 1G5
1-800-328-4678**

NET CONTENTS: 3.785 L - 1000 L

DIRECTIONS FOR USE

SUPER SPREADER ADJUVANT is a nonionic water solution product which enhances the effectiveness of agricultural and non-crop chemicals.

HOW DOES IT WORK? When SUPER SPREADER ADJUVANT is added to the spray mixture, foliage wettability is improved through the formation of a continuous uniform film on leaf surfaces.

SUPER SPREADER ADJUVANT performs well in both hard and soft water.

HOW TO MIX: Fill the spray tank about half-full with water and add the required chemical while the agitator is running or bypass agitation is operating. Complete the filling of the tank with water and finally add SUPER SPREADER ADJUVANT under constant agitation. Refer to specific product labels for more details. Add SUPER SPREADER ADJUVANT to a spray mixture when the use of such an adjuvant is recommended on the label. Follow the chemical label for complete instructions on rate of chemical to use.

Use SUPER SPREADER ADJUVANT as follows:

CHEMICAL PRODUCT	Amount of SUPER SPREADER ADJUVANT per 1000 L of spray solution	REMARKS
ACCENT	2 L	
ALLY	2 L	
BASAGRAN, BASAGRAN FORTE	1.25 L	Use this low rate with soft water.
	2.5 L	Use this rate with hard water.
ELIM	2 L	
ESCORT	2 L	
MUSTER	2 L	
PINNACLE	1 L	
PRISM HERBICIDE 25% DF, PRISM SG HERBICIDE	2 L	
PYRAMIN FL	1.25 L	Use this low rate with soft water.
	2.5 L	Use this rate with hard water.
TELAR	1 L	Also for TELAR plus KROVAR I DF tank mixes.
REFINE HERBICIDE DF	2 L	
REFINE EXTRA 75 DF HERBICIDE, REFINE EXTRA 75 TOSS-N-GO HERBICIDE	2 L	
REFLEX	1 L	
RELIANCE STS	2 L	

ULTIM 37.5 DF HERBICIDE , ULTIM 75 DF HERBICIDE	2 L	

CROP	WEEDS	RATE	REMARKS
Spring Wheat Including: Hard red spring, Canada Prairie spring, soft white spring and extra strong (utility) wheat	Wild Oats Green Foxtail Broad Leaf Weeds listed on the 2,4-D ESTER label	EVEREST SOLUPAK 70 DF at 43 g/ha or EVEREST SOLUPAK 70 DF at 21.5 g/ha +2,4-D ESTER up to 560 g a.e./ha or 2,4-D AMINE up to 560 ga.e./ha +SUPER SPREADER ADJUVANT at 2.5 L/1000 L	Follow all directions and precautions on the tank-mix partner labels.

STORAGE

SUPER SPREADER ADJUVANT may be stored for a minimum of two years at any temperature without loss of activity. Container must be tightly closed during storage.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. May be hazardous if swallowed. Avoid contact with eyes. CAUTION: Do not graze the treated crops or cut for hay; there is not sufficient data available to support this use. DO NOT APPLY BY AIR.

If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., visit CropLife Canada's website at: www.croplife.ca/.

TOXICOLOGICAL INFORMATION

SUPER SPREADER ADJUVANT is a surfactant. The effects of acute exposure by possible route of entry are: **Skin Contact:** No effects of exposure expected due to contact. Prolonged contact may cause skin irritation or dermatitis in some individuals.

Eye: Causes painful stinging or burning of eyes and lids, watering of eyes, conjunctivitis, opaqueness of cornea, possibly leading to loss of sight.

Inhalation: If misted, may cause sneezing, slight irritation of nose and throat.

Ingestion: May cause nausea and vomiting.

Notes to Physician: This product contains Diethylene Glycol. Activated charcoal mixture may be administered. To prepare activated charcoal mixture, suspend 50 grams activated charcoal in 400 mL water and mix thoroughly. Administer 5 mL/kg, or 350 mL for an average adult. Treat symptomatically.

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

INGESTION: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

INHALATION: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

DISPOSAL

1. Triple – or pressure - rinse the empty container. Add the rinsing to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on this label. It is an offence under the *PEST CONTROL PRODUCTS ACT* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

®ACCENT, ALLY, ESCORT, MUSTER, PINNACLE, TELAR, REFINE and REFINE EXTRA, ELIM, PRISM, RELIANCE and ULTIM are registered trademarks of E.I. Du Pont Canada Company
REFLEX is a registered trademark of SYNGENTA Crop Protection Canada.
BASAGRAN and PYRAMIN are registered trademarks of BASF Canada Inc..
EVEREST is a registered trademark of Arysta Lifesciences North America Corporation.

Back

SUPER SPREADER ADJUVANT

COMMERCIAL

**READ THE LABEL AND ATTACHED BROCHURE
BEFORE USING**

**REGISTRATION NO. 17402
PEST CONTROL PRODUCTS ACT**

**GUARANTEE: Octylphenoxypolyethoxy ethanol 50%
Loveland Products Canada Inc.**

**789 Donnybrook Drive
Dorchester, Ontario N0L 1G5
1-800-328-4678**

NET CONTENTS : 3.785L to 1000L

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. May be hazardous if swallowed. Avoid contact with eyes. CAUTION: Do not graze the treated crops or cut for hay; there is not sufficient data available to support this use. DO NOT APPLY BY AIR.

If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., visit CropLife Canada's web site at: www.croplife.ca

TOXICOLOGICAL INFORMATION

SUPER SPREADER ADJUVANT is a surfactant. The effects of acute exposure by possible route of entry are: **Skin Contact:** No effects of exposure expected due to contact. Prolonged contact may cause skin irritation or dermatitis in some individuals. **Eye:** Causes painful stinging or burning of eyes and lids, watering of eyes, conjunctivitis, opaqueness of cornea, possibly leading to loss of sight.

Inhalation: If misted, may cause sneezing, slight irritation of nose and throat.

Ingestion: May cause nausea and vomiting.

Notes to Physician: This product contains Diethylene Glycol. Activated charcoal mixture may be administered. To prepare activated charcoal mixture, suspend 50 grams activated charcoal in 400 mL water and mix thoroughly. Administer 5 mL/kg, or 350 mL for an average adult. Treat symptomatically.

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

INGESTION: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

INHALATION: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

DISPOSAL

1. Triple – or pressure - rinse the empty container. Add the rinsing to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.

5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

Section 1. Identification

Product identifier : Super Spreader Adjuvant PCP 17402

SDS # : 10013329-21-LPI

Other means of identification

Product code(s) : 10013329

Product type : Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Surfactant.

Supplier's details : LOVELAND PRODUCTS, INC.
P.O. Box 1286
Greeley, CO 80632-1286

Loveland Products Canada Inc.
789 Donnybrook Drive
Dorchester, Ontario N0L 1G5

retail-SDS@nutrien.com – www.nutrienagsolutions.com

Emergency telephone number (with hours of operation) : 24-hour telephone number: CHEMTREC 1-800-424-9300; CANUTEC 1-888-226-8832
Medical Emergency telephone number: 1-866-944-8565; U.S. Coast Guard National Response Center: 1-800-424-8802

Section 2. Hazard identification

Classification of the substance or mixture : ACUTE TOXICITY (oral) - Category 4
SERIOUS EYE DAMAGE - Category 1
SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (kidneys) - Category 2

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : Harmful if swallowed.
Causes serious eye damage.
May cause damage to organs through prolonged or repeated exposure. (kidneys)

Precautionary statements

General : Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.

Prevention : Wear eye or face protection. Do not breathe vapor. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Section 2. Hazard identification

- Response** : Get medical attention if you feel unwell. IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. Rinse mouth. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.
- Storage** : Not applicable.
- Disposal** : Dispose of contents and container in accordance with all local, regional, national and international regulations.
- Supplemental label elements** : None known.
- Other hazards which do not result in classification** : None known.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	% (w/w)	CAS number
Polyethylene glycol octylphenyl ether	48.9 - 52	9036-19-5
Water	27.2 - 28.8	7732-18-5
Diethylene glycol	19 - 21	111-46-6
Poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxy- Ethane-1,2-diol, ethoxylated	1.5 - 1.6	25322-68-3

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-aid measures

Description of necessary first aid measures

- Eye contact** : CORROSIVE. Begin eye irrigation immediately. All eye exposures require medical evaluation following decontamination. Immediately rinse eyes with large quantities of water or saline for a minimum 30 minutes, longer irrigation time is preferred if possible, due to the chemical reaction that occurs - see Notes to Physician below. If possible, remove contact lenses being careful not to cause additional eye damage. If the initial water supply is insufficient, keep the affected area wet with a moist cloth and transfer the person to the nearest place where rinsing can be continued for the recommended length of time. Call an ambulance for transport to hospital. Continue eye irrigation during transport. For additional advice call the medical emergency number on this safety data sheet or your poison center or doctor.
- Inhalation** : Remove person to fresh air. No known significant effects. Seek medical attention for any signs of wheezing and/or breathing difficulties. For additional advice call the medical emergency number on this SDS or your poison center or medical provider.
- Skin contact** : No known significant effects. Rinse the affected areas with water. Remove contaminated clothing, jewelry, and shoes. Wash/clean items before reuse. Seek medical attention for persistent skin pain or irritation. For additional advice call the medical emergency number on this SDS or your poison center or doctor.
- Ingestion** : Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Section 4. First-aid measures

Most important symptoms/effects, acute and delayed

Potential acute health effects

- Eye contact** : Causes serious eye damage.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : Harmful if swallowed.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:
pain
watering
redness
- Inhalation** : No specific data.
- Skin contact** : Adverse symptoms may include the following:
pain or irritation
redness
blistering may occur
- Ingestion** : Adverse symptoms may include the following:
irritation
nausea or vomiting
diarrhea

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Contains: Diethylene glycol. Activated charcoal mixture may be administered. To prepare activated charcoal mixture, suspend 50 grams activated charcoal in 400 ml of water and mix thoroughly. Administer 5 ml/kg, or 350 ml for an average adult.
- Specific treatments** : Contains: Diethylene glycol. Treat symptomatically. Contact Nutrien's 24 Hr Medical Emergency telephone number for professional support: 1-800-561-8273.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire. If necessary: Use dry chemical, CO₂, water spray (fog) or foam.
- Unsuitable extinguishing media** : None known.

Specific hazards arising from the chemical : In a fire or if heated, a pressure increase will occur and the container may burst.

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Section 5. Fire-fighting measures

- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
- Remark** : This material is not explosive. Contain and collect the water used to fight the fire for later treatment and disposal.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused adverse impacts (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

- Small spill** : Put on appropriate personal protective equipment (see Section 8). Move containers from spill area. Recover the material and use it for the intended purpose.
or
Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Put on appropriate personal protective equipment (see Section 8). Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Use appropriate equipment to put the spilled substance in a container for reuse or disposal. Recycle to process, if possible.
or
Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

- Conditions for safe storage, including any incompatibilities** : Do not store below the following temperature: 0°C (32°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Canadian Regulations Polyethylene glycol octylphenyl ether Water Diethylene glycol	None assigned. None assigned. AIHA WEEL (United States, 7/2018). TWA: 10 mg/m ³ 8 hours.
Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	AIHA WEEL (United States, 7/2018). TWA: 10 mg/m ³ 8 hours.
U.S. Federal Regulations Poly(oxy-1,2-ethanediyl), α-[(1,1,3,3-tetramethylbutyl)phenyl]-ω-hydroxy- Water 2,2' -oxybisethanol	None assigned. None assigned. AIHA WEEL (United States, 7/2018). TWA: 10 mg/m ³ 8 hours.
Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	AIHA WEEL (United States, 7/2018). TWA: 10 mg/m ³ 8 hours.

Appropriate engineering controls : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Recommended: Contact your personal protective equipment manufacturer to verify the compatibility of the equipment for the intended purpose.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Contact your personal protective equipment manufacturer to verify the compatibility of the equipment for the intended purpose.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Section 8. Exposure controls/personal protection

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended: Contact your personal protective equipment manufacturer to verify the compatibility of the equipment for the intended purpose.

Section 9. Physical and chemical properties

Appearance

Physical state : Liquid.
Color : Colorless to light yellow.
Odor : Alcohol.
Odor threshold : Not available.
pH : 7.1
Melting point : Not available.
Boiling point : Not available.
Flash point : Closed cup: >100°C (>212°F)
Evaporation rate : Not available.
Flammability (solid, gas) : Not available.
Lower and upper explosive (flammable) limits : Not available.
Vapor pressure : Not available.
Vapor density : Not available.
Relative density : 1.075 [Water = 1]
Density : 1.075 g/cm³
Solubility : Soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water : Not available.
Auto-ignition temperature : Not available.
Decomposition temperature : Not available.
Viscosity : Not available.

Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : The product is stable.

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : Excessive heat. Store and use away from heat, sparks, open flame or any other ignition source.

Incompatible materials : Strong oxidizing materials.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Polyethylene glycol octylphenyl ether	LD50 Dermal	Rabbit	>3000 mg/kg	-
	LD50 Oral	Rat	1900 to 5000 mg/kg	-
Diethylene glycol	LD50 Dermal	Rabbit	11890 mg/kg	-
	LD50 Oral	Rat	12000 mg/kg	-

Conclusion/Summary : Harmful if swallowed.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Diethylene glycol	Eyes - Mild irritant	Rabbit	-	50 mg	-
	Skin - Mild irritant	Human	-	72 hours 112 mg l	-
	Skin - Mild irritant	Rabbit	-	500 mg	-

Conclusion/Summary

Skin : prolonged exposure: blistering may occur. May cause skin irritation.

Eyes : Causes serious eye damage.

Respiratory : No known significant effects or critical hazards.

Sensitization

Not available.

Conclusion/Summary

Skin : No known significant effects or critical hazards.

Respiratory : No known significant effects or critical hazards.

Mutagenicity

Not available.

Conclusion/Summary : No known significant effects or critical hazards.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Conclusion/Summary : No known significant effects or critical hazards.

Teratogenicity

Not available.

Conclusion/Summary : No known significant effects or critical hazards.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
Diethylene glycol	Category 2	Oral	kidneys

Aspiration hazard

Not available.

Section 11. Toxicological information

Information on the likely routes of exposure : Routes of entry anticipated: Oral, Dermal, Inhalation.

Potential acute health effects

- Eye contact** : Causes serious eye damage.
Inhalation : No known significant effects or critical hazards.
Skin contact : No known significant effects or critical hazards.
Ingestion : Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : Adverse symptoms may include the following:
 pain
 watering
 redness
- Inhalation** : No specific data.
- Skin contact** : Adverse symptoms may include the following:
 pain or irritation
 redness
 blistering may occur
- Ingestion** : Adverse symptoms may include the following:
 irritation
 nausea or vomiting
 diarrhea

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

- Potential immediate effects** : See above.
Potential delayed effects : See above.

Long term exposure

- Potential immediate effects** : See above.
Potential delayed effects : See below.

Potential chronic health effects

- Conclusion/Summary** : May cause damage to organs through prolonged or repeated exposure if swallowed. (kidneys)
- General** : See above.
- Carcinogenicity** : No known significant effects or critical hazards.
Mutagenicity : No known significant effects or critical hazards.
Teratogenicity : No known significant effects or critical hazards.
Developmental effects : No known significant effects or critical hazards.
Fertility effects : No known significant effects or critical hazards.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Polyethylene glycol octylphenyl ether	Acute EC50 18 to 26 mg/l	Daphnia	48 hours
Diethylene glycol	Acute LC50 4 to 8.9 mg/l Acute LC50 75200000 µg/l Fresh water	Fish Fish - Pimephales promelas	96 hours 96 hours

Conclusion/Summary : Very low acute toxicity to fish.

Section 12. Ecological information

Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
Polyethylene glycol octylphenyl ether	OECD 301B Ready Biodegradability - CO ₂ Evolution Test	>60 % - 28 days	-	-
Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability	
Polyethylene glycol octylphenyl ether	-	-	Readily	

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
Polyethylene glycol octylphenyl ether	2.7	15	low
Diethylene glycol	-1.98	100	low

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	TDG Classification	DOT Classification	Mexico Classification	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.

Section 14. Transport information

Additional information	-	-	-	-	-
------------------------	---	---	---	---	---

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL and the IBC Code : Not available.

Section 15. Regulatory information

Canadian lists

Canadian NPRI : The following components are listed: octylphenol and its ethoxylates

CEPA Toxic substances : None of the components are listed.

Canada inventory : All components are listed or exempted.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : All components are listed or exempted.

China : All components are listed or exempted.

Europe : Not determined.

Japan : **Japan inventory (ENCS):** All components are listed or exempted.
Japan inventory (ISHL): Not determined.

Malaysia : Not determined

New Zealand : All components are listed or exempted.

Philippines : All components are listed or exempted.

Republic of Korea : All components are listed or exempted.

Taiwan : All components are listed or exempted.

Turkey : Not determined.

U.S. Federal Regulations : **TSCA 8(a) PAIR:** Poly(oxy-1,2-ethanediyl), α -[(1,1,3,3-tetramethylbutyl)phenyl]- ω -hydroxy-
TSCA 8(a) CDR Exempt/Partial exemption: Not determined
TSCA 8(b) Active inventory: All components are listed or exempted.

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Not listed

Section 15. Regulatory information

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304 Composition/information on ingredients

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : Immediate (acute) health hazard
Delayed (chronic) health hazard.

Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard.
Polyethylene glycol octylphenyl ether 2,2'-oxybisethanol	≥50 - ≤75 ≥10 - ≤25	No. No.	No. No.	No. No.	Yes. Yes.	No. Yes.

State regulations

Massachusetts : None of the components are listed.

New York : None of the components are listed.

New Jersey : None of the components are listed.

Pennsylvania : The following components are listed: ETHANOL, 2,2'-OXYBIS-

California Prop. 65 : This product does not require a Safe Harbor warning under California Prop. 65.

Section 16. Other information

History

Date of issue/Date of revision : 7/16/2021

Date of previous issue : No previous validation

Version : 1

📌 Indicates information that has changed from previously issued version.

Key to abbreviations

: ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
UN = United Nations
HPR = Hazardous Products Regulations

Procedure used to derive the classification

Section 16. Other information

Classification	Justification
ACUTE TOXICITY (oral) - Category 4 SERIOUS EYE DAMAGE - Category 1 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (kidneys) - Category 2	Calculation method Calculation method Calculation method

- References**
- : Transportation of Dangerous Goods Act and Clear Language Regulations, current edition at time of SDS preparation, Transport Canada;
 - Hazardous Products Act and Regulations, current revision at time of SDS preparation, Health Canada;
 - Domestic Substances List, current revision at time of SDS preparation, Environment Canada;
 - 29 CFR Part 1910, current revision at time of SDS preparation, U.S. Occupational Safety and Health Administration;
 - 40 CFR Parts 1-799, current revision at time of SDS preparation, U.S. Environmental Protection Agency;
 - 49 CFR Parts 1-199, current revision at time of SDS preparation, U.S. Department of Transport;
 - Mexican Official Standard NOM-018-STPS-2015, Harmonised System for the Identification and Communication of Hazards and Risks by Hazardous Chemicals in the Workplace;
 - NORMA Oficial Mexicana NOM-010-STPS-2014, Agentes químicos contaminantes del ambiente laboral-Reconocimiento, evaluación y control.
 - Mexican Official Standard NOM-002-SCT / 2011, List of the most commonly transported hazardous substances and materials;
 - Threshold Limit Values for Chemical Substances, current edition at time of SDS preparation, American Conference of Governmental Industrial Hygienists;
 - NFPA 400, National Fire Codes, National Fire Protection Association, current edition at time of SDS preparation;
 - NFPA 704, National Fire Codes, National Fire Protection Association, current edition at time of SDS preparation;
 - Corrosion Data Survey, Sixth Edition, 1985, National Association of Corrosion Engineers;
 - ERG 2016, Emergency Response Guidebook, U.S. Department of Transport, Transport Canada, and the Secretariat of Transportation and Communications of Mexico
 - Hazardous Substances Data Bank, current revision at time of SDS preparation, National Library of Medicine, Bethesda, Maryland
 - Integrated Risk Information System, current revision at time of SDS preparation, U. S. Environmental Protection Agency, Washington, D.C.
 - Pocket Guide to Chemical Hazards, current revision at time of SDS preparation, National Institute for Occupational Safety and Health, Cincinnati, Ohio ;
 - Agency for Toxic Substances and Disease Registry Databank, current revision at time of SDS preparation, U.S. Department of Health and Human Services, Atlanta, Georgia
 - National Toxicology Program, Report on Carcinogens, Division of the National Institute of Environmental Health Sciences, Research Triangle Park, North Carolina.
 - Registry of Toxic Effects of Chemical Substances. National Institute for Occupational Safety and Health, Cincinnati, Ohio
 - California Code of Regulations, Title 27, Div 4, Chapter 1, Proposition 65 Aug 30, 2018 rev and current updates

Notice to reader

Supply chain partners must ensure they pass this SDS, and all other relevant safety information to their customers.

DISCLAIMER AND LIMITATION OF LIABILITY

The information and recommendations contained in this Safety Data Sheet ("SDS") relate only to the specific material referred to herein (the "Material") and do not relate to the use of such Material in combination with any other material or process. The information and recommendations contained herein are believed to be current and correct as of the date of this SDS. HOWEVER, THE INFORMATION AND RECOMMENDATIONS

Section 16. Other information

ARE PRESENTED WITHOUT WARRANTY, REPRESENTATION OR LICENSE OF ANY KIND, EXPRESS OR IMPLIED, WITH RESPECT TO THEIR ACCURACY, CORRECTNESS OR COMPLETENESS, AND THE SELLER, SUPPLIER AND MANUFACTURER OF THE MATERIAL AND THEIR RESPECTIVE AFFILIATES (COLLECTIVELY, THE "SUPPLIER") DISCLAIM ALL LIABILITY FOR RELIANCE ON SUCH INFORMATION AND RECOMMENDATIONS. This SDS is not a guarantee of safety. A buyer or user of the Material (a "Recipient") is responsible for ensuring that it has all current information necessary to safely use the Material for its specific purpose.

FURTHERMORE, THE RECIPIENT ASSUMES ALL RISK IN CONNECTION WITH THE USE OF THE MATERIAL. THE RECIPIENT ASSUMES ALL RESPONSIBILITY FOR ENSURING THE MATERIAL IS USED IN A SAFE MANNER IN COMPLIANCE WITH APPLICABLE ENVIRONMENTAL, HEALTH, SAFETY AND SECURITY LAWS, POLICIES AND GUIDELINES. THE SUPPLIER DOES NOT WARRANT THE MERCHANTABILITY OF THE MATERIAL OR THE FITNESS OF THE MATERIAL FOR ANY PARTICULAR USE AND ASSUMES NO RESPONSIBILITY FOR INJURY OR DAMAGE CAUSED DIRECTLY OR INDIRECTLY BY OR RELATED TO THE USE OF THE MATERIAL.

Super Spreader Adjuvant PCP 17402

Section 1. Identification

Identificateur de produit : Super Spreader Adjuvant PCP 17402

n° SDS : 10013329-21-LPI

**Autres moyens
d'identification**

Code(s) du produit : 10013329

Type de produit : Liquide.

Utilisations pertinentes identifiées de la substance ou du mélange et utilisations non recommandées

Utilisations identifiées

Surfactant.

**Données relatives au
fournisseur** : LOVELAND PRODUCTS, INC.
P.O. Box 1286
Greeley, CO 80632-1286

Loveland Products Canada Inc.
789 Donnybrook Drive
Dorchester, Ontario N0L 1G5

retail-SDS@nutrien.com – www.nutrienagsolutions.com

**Numéro de téléphone à
composer en cas d'urgence
(indiquer les heures de
service)** : Numéro de téléphone 24 heures: CHEMTREC 1-800-424-9300; CANUTEC
1-888-226-8832
Numéro de téléphone d'urgence médicale: 1-866-944-8565; Centre d'intervention
national de la Garde côtière des États-Unis: 1-800-424-8802

Section 2. Identification des dangers

**Classement de la
substance ou du mélange** : TOXICITÉ AIGUË (orale) - Catégorie 4
LÉSIONS OCULAIRES GRAVES - Catégorie 1
TOXICITÉ POUR CERTAINS ORGANES CIBLES - EXPOSITIONS RÉPÉTÉES
(reins) - Catégorie 2

Statut OSHA/HCS : Ce produit est considéré dangereux selon la norme OSHA sur la communication de
renseignements à l'égard des matières dangereuses (29 CFR 1910.1200).

Éléments d'étiquetage SGH

Pictogrammes de danger :



Mention d'avertissement : Danger

Mentions de danger : Nocif en cas d'ingestion.
Provoque de graves lésions des yeux.
Risque présumé d'effets graves pour les organes à la suite d'expositions répétées
ou d'une exposition prolongée. (reins)

Conseils de prudence

Généralités

: Lire l'étiquette avant utilisation. Tenir hors de portée des enfants. En cas de
consultation d'un médecin, garder à disposition le récipient ou l'étiquette.

Section 2. Identification des dangers

Prévention	: Porter une protection oculaire ou faciale. Ne pas respirer les vapeurs. Ne pas manger, boire ou fumer en manipulant ce produit. Se laver les mains soigneusement après manipulation.
Intervention	: Obtenez des soins médicaux si vous vous sentez mal. EN CAS D'INGESTION: Appelez un CENTRE ANTIPOISON ou un médecin si vous vous sentez mal. Rincer la bouche. EN CAS DE CONTACT AVEC LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles de contact si usé et si elles peuvent être facilement enlevés. Continuer à rincer. Appeler immédiatement un CENTRE ANTIPOISON ou un médecin.
Stockage	: Non applicable.
Élimination	: Éliminer le contenu et le récipient conformément à toutes les réglementations locales, régionales, nationales et internationales.
Éléments d'une étiquette complémentaire	: Aucun connu.
Autres dangers qui ne donnent pas lieu à une classification	: Aucun connu.

Section 3. Composition/information sur les ingrédients

Substance/préparation : Mélange

Nom des ingrédients	% (p/p)	Numéro CAS
Éther de polyéthylèneglycol et d'octylphényle	48.9 - 52	9036-19-5
L'eau	27.2 - 28.8	7732-18-5
Diéthylène glycol	19 - 21	111-46-6
macrogol	1.5 - 1.6	25322-68-3

Dans l'état actuel des connaissances du fournisseur et dans les concentrations d'application, aucun autre ingrédient présent n'est classé comme dangereux pour la santé ou l'environnement, et donc nécessiterait de figurer dans cette section.

Les limites d'exposition professionnelle, quand elles sont disponibles, sont énumérées à la section 8.

Section 4. Premiers soins

Description des premiers soins nécessaires

Contact avec les yeux	: CORROSIF. Commencer immédiatement irrigation des yeux. Toute exposition des yeux à la solution nécessite une évaluation médicale après décontamination. Rincer immédiatement les yeux avec de grandes quantités d'eau ou de sérum physiologique pour un minimum de 30 minutes, plus le temps d'irrigation est préférable, si possible, en raison de la réaction chimique qui se produit - voir les notes du médecin ci-dessous. Si possible, enlever les lentilles de contact en faisant attention à ne pas provoquer des lésions oculaires supplémentaires. Si l'approvisionnement en eau initiale est insuffisante, garder la zone affectée humide avec un chiffon humide et transférer la personne à l'endroit le plus proche où le rinçage peut être poursuivi pendant la durée recommandée de temps. Appelez une ambulance pour le transport à l'hôpital. Continuer irrigation des yeux pendant le transport. Pour des conseils supplémentaires appeler le numéro d'urgence médicale sur cette fiche de données de sécurité ou votre centre antipoison ou un médecin.
Inhalation	: Transporter la personne à l'air frais. Aucun effet important. Consulter un médecin pour détecter tout signe de respiration sifflante et / ou des difficultés respiratoires. Pour des conseils supplémentaires appeler le numéro d'urgence médicale dans cette FDS ou votre centre antipoison ou un fournisseur de soins médicaux.
Contact avec la peau	: Aucun effet important. Rincer les zones affectées avec de l'eau. Enlever les vêtements contaminés, des bijoux et des chaussures. Laver les articles avant de les réutiliser. Obtenir des soins médicaux pour une douleur persistante de la peau ou d'irritation. Pour des conseils supplémentaires appeler le numéro d'urgence médicale dans cette FDS ou votre centre antipoison ou un médecin.

Section 4. Premiers soins

Ingestion : Consulter un médecin immédiatement. Appeler un centre antipoison ou un médecin. Laver la bouche avec de l'eau. Enlever les prothèses dentaires s'il y a lieu. Transporter la victime à l'extérieur et la maintenir au repos dans une position où elle peut confortablement respirer. En cas d'ingestion de la matière et si la personne exposée est consciente, lui donner de petites quantités d'eau à boire. Arrêter si la personne se sent malade car des vomissements peuvent être dangereux. Ne pas faire vomir sauf indication contraire émanant du personnel médical. En cas de vomissements, garder la tête basse afin d'éviter la pénétration du vomi dans les poumons. Les brûlures chimiques doivent être traitées rapidement par un médecin. Ne rien faire ingérer à une personne inconsciente. Si la personne est inconsciente, la placer en position de rétablissement et consulter un médecin immédiatement. Assurez-vous d'une bonne circulation d'air. Détacher tout ce qui pourrait être serré, comme un col, une cravate, une ceinture ou un ceinturon.

Symptômes et effets les plus importants, qu'ils soient aigus ou retardés

Effets aigus potentiels sur la santé

Contact avec les yeux : Provoque de graves lésions des yeux.
Inhalation : Aucun effet important ou danger critique connu.
Contact avec la peau : Aucun effet important ou danger critique connu.
Ingestion : Nocif en cas d'ingestion.

Signes/symptômes de surexposition

Contact avec les yeux : Les symptômes néfastes peuvent éventuellement comprendre ce qui suit:
douleur
larmoiement
rougeur

Inhalation : Aucune donnée spécifique.

Contact avec la peau : Les symptômes néfastes peuvent éventuellement comprendre ce qui suit:
douleur ou irritation
rougeur
la formation d'ampoules peut éventuellement apparaître

Ingestion : Les symptômes néfastes peuvent éventuellement comprendre ce qui suit:
irritation
nausées ou vomissements
diarrhée

Mention de la nécessité d'une prise en charge médicale immédiate ou d'un traitement spécial, si nécessaire

Note au médecin traitant : Traitement symptomatique requis. Contactez le spécialiste en traitement de poison immédiatement si de grandes quantités ont été ingérées ou inhalées. Contient du (de la): Diéthylène glycol. Un mélange de charbon activé peut être administré. Pour préparer le mélange de charbon activé, faire une suspension de 50 grammes de charbon activé dans 400 ml d'eau et bien mélanger. Administrer 5 ml/kg, ou 350 ml pour un adulte moyen.

Traitements particuliers : Contient du (de la): Diethylene glycol. Traitement symptomatique requis. Communiquez avec le numéro de téléphone urgence médicale 24 heures de Nutrien pour obtenir du soutien professionnel : 1-800-561-8273.

Protection des sauveteurs : Ne prendre aucune mesure impliquant un risque personnel ou en l'absence de formation adéquate. Si l'on soupçonne que des fumées sont encore présentes, le sauveteur devra porter un masque adéquat ou un appareil de protection respiratoire autonome. Le bouche-à-bouche peut se révéler dangereux pour la personne portant secours. Laver abondamment à l'eau les vêtements contaminés avant de les retirer, ou porter des gants.

Voir Information toxicologique (section 11)

Section 5. Mesures à prendre en cas d'incendie

Moyens d'extinction

- Agents extincteurs appropriés** : Employer un agent extincteur qui convient aux feux environnants. Si nécessaire: Utiliser des poudres chimiques sèches, du CO₂, de l'eau vaporisée (brouillard) ou de la mousse.
- Agents extincteurs inappropriés** : Aucun connu.

Dangers spécifiques du produit : Si ce produit est chauffé ou se trouve au contact du feu, une augmentation de pression se produit et le conteneur peut éclater.

Produit de décomposition thermique dangereux : Les produits de décomposition peuvent éventuellement comprendre les substances suivantes:
dioxyde de carbone
Monoxyde de carbone

Mesures spéciales de protection pour les pompiers : En présence d'incendie, circonscrire rapidement le site en évacuant toute personne se trouvant près des lieux de l'accident. Ne prendre aucune mesure impliquant un risque personnel ou en l'absence de formation adéquate.

Équipement de protection spécial pour le personnel préposé à la lutte contre le feu : Il est impératif que les pompiers portent un équipement de protection adéquat, ainsi qu'un appareil respiratoire autonome (ARA) équipé d'un masque couvre-visage à pression positive.

Remarque : Ce matériau ne est pas explosif. Contenez et recueillez l'eau combattait le feu pour traitement plus en retard et disposition.

Section 6. Mesures à prendre en cas de déversement accidentel

Précautions individuelles, équipements de protection et mesures d'urgence

Pour le personnel non affecté aux urgences : Ne prendre aucune mesure impliquant un risque personnel ou en l'absence de formation adéquate. Empêcher l'accès aux personnes gênantes ou non protégées. Ne pas toucher ni marcher dans le produit répandu. Éviter de respirer les vapeurs ou le brouillard. Assurer une ventilation adéquate. Porter un appareil respiratoire approprié lorsque le système de ventilation est inadéquat. Porter un équipement de protection individuelle approprié.

Intervenants en cas d'urgence : Si des vêtements spécialisés sont requis pour traiter un déversement, prendre note de tout renseignement donné à la Section 8 sur les matériaux appropriés ou non. Consultez également les renseignements sous « Pour le personnel non affecté aux urgences ».

Précautions environnementales : Évitez la dispersion des matériaux déversés, ainsi que leur écoulement et tout contact avec le sol, les voies navigables, les drains et les égouts. Avertir les autorités compétentes si le produit a engendré des effets néfastes (égouts, voies navigables, sol ou air).

Méthodes et matériaux pour le confinement et le nettoyage

Petit déversement : Revêtir un équipement de protection individuelle approprié (voir Section 8). Écarter les conteneurs de la zone de déversement. Récupérez le matériel et l'utiliser aux fins prévues.
ou
Placer le produit déversé dans un contenant à déchets désigné et étiqueté. Éliminer par l'intermédiaire d'une entreprise spécialisée autorisée de collecte des déchets.

Section 6. Mesures à prendre en cas de déversement accidentel

- Grand déversement** : Revêtir un équipement de protection individuelle approprié (voir Section 8). Écarter les conteneurs de la zone de déversement. Empêcher la pénétration dans les égouts, les cours d'eau, les sous-sol ou les zones confinées. Utiliser l'équipement approprié de placer la substance déversée dans un récipient pour une réutilisation ou d'élimination. Recyclez dans le procédé, si possible.
- ou
Éliminer par l'intermédiaire d'une entreprise spécialisée autorisée de collecte des déchets. Nota : Voir Section 1 pour de l'information relative aux urgences et voir Section 13 pour l'élimination des déchets.

Section 7. Manutention et stockage

Précautions relatives à la sûreté en matière de manutention

- Mesures de protection** : Revêtir un équipement de protection individuelle approprié (voir Section 8). Éviter tout contact avec les yeux, la peau et les vêtements. Éviter de respirer les vapeurs ou le brouillard. Ne pas ingérer. Si au cours d'une utilisation normale, la substance présente un danger respiratoire, une ventilation adéquate ou le port d'un appareil respiratoire est obligatoire. Garder dans le conteneur d'origine ou dans un autre conteneur de substitution homologué fabriqué à partir d'un matériau compatible et tenu hermétiquement clos lorsqu'il n'est pas utilisé. Les conteneurs vides retiennent des résidus de produit et peuvent présenter un danger. Ne pas réutiliser ce conteneur.
- Conseils sur l'hygiène générale au travail** : Les personnes travaillant avec ce produit devraient se laver les mains et la figure avant de manger, boire ou fumer. Retirer les vêtements et l'équipement de protection contaminés avant de pénétrer dans des aires de repas. Consulter également la Section 8 pour d'autres renseignements sur les mesures d'hygiène.
- Conditions de sûreté en matière de stockage, y compris les incompatibilités** : Ne pas stocker en-dessous de la température suivante: 0°C (32°F). Entreposer conformément à la réglementation locale. Entreposer dans le contenant original à l'abri de la lumière solaire, dans un endroit sec, frais et bien ventilé, à l'écart des substances incompatibles (voir la Section 10), de la nourriture et de la boisson. Garder sous clef. Garder le récipient hermétiquement fermé lorsque le produit n'est pas utilisé. Les récipients ouverts doivent être refermés avec soin et maintenus en position verticale afin d'éviter les fuites. Ne pas stocker dans des conteneurs non étiquetés. Utiliser un récipient approprié pour éviter toute contamination du milieu ambiant. Voir la section 10 relative aux matières incompatibles avant la manutention ou l'utilisation.

Section 8. Contrôle de l'exposition/protection individuelle

Paramètres de contrôle

Limites d'exposition professionnelle

Nom des ingrédients	Limites d'exposition
Règlements Canadiens Éther de polyéthylèneglycol et d'octylphényle L'eau Diéthylène glycol macrogol	Non attribué. Non attribué. AIHA WEEL (États-Unis, 7/2018). TWA: 10 mg/m ³ 8 heures. AIHA WEEL (États-Unis, 7/2018). TWA: 10 mg/m ³ 8 heures.
Réglementations États-Unis Éther de polyéthylèneglycol et d'octylphényle L'eau diéthylène glycol macrogol	Non attribué. Non attribué. AIHA WEEL (États-Unis, 7/2018). TWA: 10 mg/m ³ 8 heures. AIHA WEEL (États-Unis, 7/2018). TWA: 10 mg/m ³ 8 heures.

Section 8. Contrôle de l'exposition/protection individuelle

- Contrôles d'ingénierie appropriés** : Si les manipulations de l'utilisateur provoquent de la poussière, des fumées, des gaz, des vapeurs ou du brouillard, utiliser des enceintes fermées, une ventilation par aspiration à la source, ou d'autres systèmes de contrôle automatique intégrés afin de maintenir le seuil d'exposition du technicien aux contaminants en suspension dans l'air inférieur aux limites recommandées ou légales.
- Contrôle de l'action des agents d'environnement** : Il importe de tester les émissions provenant des systèmes d'aération et du matériel de fabrication pour vous assurer qu'elles sont conformes aux exigences de la législation sur la protection de l'environnement. Dans certains cas, il sera nécessaire d'équiper le matériel de fabrication d'un épurateur de gaz ou d'un filtre ou de le modifier techniquement afin de réduire les émissions à des niveaux acceptables.
- Mesures de protection individuelle**
- Mesures d'hygiène** : Après manipulation de produits chimiques, lavez-vous les mains, les avant-bras et le visage avec soin avant de manger, de fumer, d'aller aux toilettes et une fois votre travail terminé. Utiliser les techniques appropriées pour retirer les vêtements contaminés. Laver les vêtements contaminés avant de les réutiliser. Assurez-vous que des bassins oculaires et des douches de décontamination sont installés près des postes de travail.
- Protection oculaire/ faciale** : Le port de lunettes de sécurité conformes à une norme approuvée est obligatoire quand une évaluation des risques le préconise pour éviter toute exposition aux éclaboussures de liquides, à la buée, aux gaz ou aux poussières. Si un contact est possible, les protections suivantes doivent être portées, à moins qu'une évaluation indique un besoin pour une protection supérieure : lunettes de protection contre les produits chimiques et/ou écran facial. Si des risques respiratoires existent, un masque respiratoire complet peut être requis à la place.
- Protection de la peau**
- Protection des mains** : Lors de la manipulation de produits chimiques, porter en permanence des gants étanches et résistants aux produits chimiques conformes à une norme approuvée, si une évaluation du risque indique que cela est nécessaire. En tenant compte des paramètres indiqués par le fabricant de gants, vérifier que les gants gardent toujours leurs propriétés de protection pendant leur utilisation. Il faut noter que le temps de percement pour tout matériau utilisé dans des gants peut varier pour différents fabricants de gants. Dans le cas de mélanges, constitués de plusieurs substances, la durée de protection des gants ne peut pas être évaluée avec précision. Recommandé : Contactez votre fabricant d'équipement de protection pour vérifier la compatibilité de l'équipement pour l'usage prévu.
- Protection du corps** : L'équipement de protection individuelle pour le corps doit être adapté à la tâche exécutée et aux risques encourus, et approuvé par un expert avant toute manipulation de ce produit. Recommandé: Contactez votre fabricant d'équipement de protection pour vérifier la compatibilité de l'équipement pour l'usage prévu.
- Autre protection pour la peau** : Il faut sélectionner des chaussures appropriées et toute autre mesure appropriée de protection de la peau en fonction de la tâche en cours et des risques en cause et cette sélection doit être approuvée par un spécialiste avant de manipuler ce produit.
- Protection respiratoire** : En fonction du risque et de la possibilité d'une exposition, choisir un respirateur qui est conforme à la norme ou certification appropriée. Les respirateurs doivent être utilisés suivant un programme de protection pour assurer un ajustement, une formation appropriée et d'aspects d'utilisation importants. Recommandé: Contactez votre fabricant d'équipement de protection pour vérifier la compatibilité de l'équipement pour l'usage prévu.

Section 9. Propriétés physiques et chimiques

Apparence

État physique	: Liquide.
Couleur	: Incolore à jaune pâle.
Odeur	: Alcool.
Seuil olfactif	: Non disponible.
pH	: 7.1
Point de fusion	: Non disponible.
Point d'ébullition	: Non disponible.
Point d'éclair	: Vase clos: >100°C (>212°F)
Taux d'évaporation	: Non disponible.
Inflammabilité (solides et gaz)	: Non disponible.
Limites inférieure et supérieure d'explosion (d'inflammation)	: Non disponible.
Tension de vapeur	: Non disponible.
Densité de vapeur	: Non disponible.
Densité relative	: 1.075 [Eau = 1]
Densité	: 1.075 g/cm ³
Solubilité	: Soluble dans les substances suivantes: l'eau froide et l'eau chaude.
Coefficient de partage n-octanol/eau	: Non disponible.
Température d'auto-inflammation	: Non disponible.
Température de décomposition	: Non disponible.
Viscosité	: Non disponible.

Section 10. Stabilité et réactivité

Réactivité	: Aucune donnée d'essai spécifique à la réactivité disponible pour ce produit ou ses ingrédients.
Stabilité chimique	: Le produit est stable.
Risque de réactions dangereuses	: Dans des conditions normales de stockage et d'utilisation, aucune réaction dangereuse ne se produit.
Conditions à éviter	: Chaleur excessive. Tenir éloigné de la chaleur, des étincelles, de la flamme nue, ou de toute autre source d'inflammation.
Matériaux incompatibles	: Matières très oxydantes.
Produits de décomposition dangereux	: Dans des conditions normales de stockage et d'utilisation, aucun produit de décomposition dangereux ne devrait apparaître.

Section 11. Données toxicologiques

Renseignements sur les effets toxicologiques

Toxicité aiguë

Nom du produit ou de l'ingrédient	Résultat	Espèces	Dosage	Exposition
Polyethylene glycol octylphenyl ether	DL50 Cutané	Lapin	>3000 mg/kg	-
	DL50 Orale	Rat	1900 à 5000 mg/kg	-
Diéthylène glycol	DL50 Cutané	Lapin	11890 mg/kg	-
	DL50 Orale	Rat	12000 mg/kg	-

Conclusion/Résumé : Nocif en cas d'ingestion.

Irritation/Corrosion

Nom du produit ou de l'ingrédient	Résultat	Espèces	Potentiel	Exposition	Observation
Diéthylène glycol	Yeux - Léger irritant	Lapin	-	50 mg	-
	Peau - Léger irritant	Humain	-	72 heures	-
	Peau - Léger irritant	Lapin	-	112 mg l 500 mg	-

Conclusion/Résumé

Peau : prolonged exposure: la formation d'ampoules peut éventuellement apparaître. Peut provoquer une irritation de la peau.

Yeux : Provoque de graves lésions des yeux.

Respiratoire : Aucun effet important ou danger critique connu.

Sensibilisation

Non disponible.

Conclusion/Résumé

Peau : Aucun effet important ou danger critique connu.

Respiratoire : Aucun effet important ou danger critique connu.

Mutagénicité

Non disponible.

Conclusion/Résumé : Aucun effet important ou danger critique connu.

Cancérogénicité

Non disponible.

Toxicité pour la reproduction

Non disponible.

Conclusion/Résumé : Aucun effet important ou danger critique connu.

Tératogénicité

Non disponible.

Conclusion/Résumé : Aucun effet important ou danger critique connu.

Toxicité systémique pour certains organes cibles - exposition unique -

Non disponible.

Toxicité pour certains organes cibles - expositions répétées -

Nom	Catégorie	Voie d'exposition	Organes cibles
Diéthylène glycol	Catégorie 2	Orale	reins

Risque d'absorption par aspiration

Section 11. Données toxicologiques

Non disponible.

Renseignements sur les voies d'exposition probables : Voies d'entrée probables : Orale, Cutané, Inhalation.

Effets aigus potentiels sur la santé

Contact avec les yeux : Provoque de graves lésions des yeux.
Inhalation : Aucun effet important ou danger critique connu.
Contact avec la peau : Aucun effet important ou danger critique connu.
Ingestion : Nocif en cas d'ingestion.

Symptômes correspondant aux caractéristiques physiques, chimiques et toxicologiques

Contact avec les yeux : Les symptômes néfastes peuvent éventuellement comprendre ce qui suit:
douleur
larmolement
rougeur

Inhalation : Aucune donnée spécifique.

Contact avec la peau : Les symptômes néfastes peuvent éventuellement comprendre ce qui suit:
douleur ou irritation
rougeur
la formation d'ampoules peut éventuellement apparaître

Ingestion : Les symptômes néfastes peuvent éventuellement comprendre ce qui suit:
irritation
nausées ou vomissements
diarrhée

Effets différés et immédiats ainsi que les effets chroniques causés par une exposition à court et à long terme

Exposition de courte durée

Effets immédiats possibles : Voir ci-dessus.
Effets différés possibles : Voir ci-dessus.

Exposition de longue durée

Effets immédiats possibles : Voir ci-dessus.
Effets différés possibles : Voir dessous.

Effets chroniques potentiels sur la santé

Conclusion/Résumé : Risque présumé d'effets graves pour les organes à la suite d'expositions répétées ou d'une exposition prolongée en cas d'ingestion. (reins)

Généralités : Voir ci-dessus.

Cancérogénicité : Aucun effet important ou danger critique connu.

Mutagénicité : Aucun effet important ou danger critique connu.

Tératogénicité : Aucun effet important ou danger critique connu.

Effets sur le développement : Aucun effet important ou danger critique connu.

Effets sur la fertilité : Aucun effet important ou danger critique connu.

Section 12. Données écologiques

Toxicité

Nom du produit ou de l'ingrédient	Résultat	Espèces	Exposition
Polyethylene glycol octylphenyl ether	Aiguë CE50 18 à 26 mg/l	Daphnie	48 heures
Diéthylène glycol	Aiguë CL50 4 à 8.9 mg/l Aiguë CL50 75200000 µg/l Eau douce	Poisson Poisson - Pimephales promelas	96 heures 96 heures

Conclusion/Résumé : Très faible toxicité aiguë pour les poissons.

Persistance et dégradation

Nom du produit ou de l'ingrédient	Test	Résultat	Dosage	Inoculum
Polyethylene glycol octylphenyl ether	OECD 301B Biodégradabilité facile - Essai de dégagement de CO ₂	>60 % - 28 jours	-	-

Nom du produit ou de l'ingrédient	Demi-vie aquatique	Photolyse	Biodégradabilité
Polyethylene glycol octylphenyl ether	-	-	Facilement

Potentiel de bioaccumulation

Nom du produit ou de l'ingrédient	LogP _{ow}	BCF	Potentiel
Polyethylene glycol octylphenyl ether	2.7	15	faible
Diéthylène glycol	-1.98	100	faible

Mobilité dans le sol

Coefficient de répartition sol/eau (K_{oc}) : Non disponible.

Autres effets nocifs : Aucun effet important ou danger critique connu.

Section 13. Données sur l'élimination

Méthodes d'élimination : Il est important de réduire au minimum, voire d'éviter la génération de déchets chaque fois que possible. La mise au rebut de ce produit, des solutions et de tous les co-produits doit obéir en permanence aux dispositions de la législation sur la protection de l'environnement et l'élimination des déchets et demeurer conforme aux exigences des pouvoirs publics locaux. Éliminer le surplus et les produits non recyclables par l'intermédiaire d'une entreprise spécialisée autorisée de collecte des déchets. Ne pas rejeter les déchets non traités dans les égouts, à moins que ce soit en conformité avec les exigences de toutes les autorités compétentes. Il faut prendre des précautions lors de la manipulation de contenants vides qui n'ont pas été nettoyés ou rincés. Évitez la dispersion des matériaux déversés, ainsi que leur écoulement et tout contact avec le sol, les voies navigables, les drains et les égouts.

Section 14. Informations relatives au transport

	Classification pour le TMD	Classification pour le DOT	Classement mexicain	IMDG	IATA
Numéro ONU	Non réglementé.	Non réglementé.	Non réglementé.	Non réglementé.	Non réglementé.
Désignation officielle de transport de l'ONU	-	-	-	-	-
Classe de danger relative au transport	-	-	-	-	-
Groupe d'emballage	-	-	-	-	-
Dangers environnementaux	Non.	Non.	Non.	Non.	Non.
Autres informations	-	-	-	-	-

Protections spéciales pour l'utilisateur : **Transport avec les utilisateurs locaux** : toujours transporter dans des conditionnements qui sont corrects et sécurisés. S'assurer que les personnes transportant le produit connaissent les mesures à prendre en cas d'accident ou de déversement accidentel.

Transport en vrac aux termes de l'annexe II de la Convention MARPOL et du Recueil IBC : Non disponible.

Section 15. Informations sur la réglementation

Listes canadiennes

INRP canadien : Les composants suivants sont répertoriés: octylphénol et ses dérivés éthoxylés

Substances toxiques au sens de la LCPE (Loi canadienne sur la protection de l'environnement) : Aucun des composants n'est répertorié.

Inventaire du Canada : Tous les composants sont répertoriés ou exclus.

Réglementations Internationales

Liste des substances chimiques des tableaux I, II et III de la Convention sur les armes chimiques

Non inscrit.

Protocole de Montréal (Annexes A, B, C, E)

Non inscrit.

Convention de Stockholm relative aux polluants organiques persistants

Non inscrit.

Convention de Rotterdam sur le consentement préalable donné en connaissance de cause (PIC)

Non inscrit.

Protocole d'Aarhus de la CEE-ONU relatif aux POP et aux métaux lourds

Section 15. Informations sur la réglementation

Non inscrit.

Liste des stocks

Australie	: Tous les composants sont répertoriés ou exclus.
Chine	: Tous les composants sont répertoriés ou exclus.
Europe	: Indéterminé.
Japon	: Inventaire du Japon (ENCS) : Tous les composants sont répertoriés ou exclus. Inventaire japonais (ISHL) : Indéterminé.
Malaisie	: Indéterminé
Nouvelle-Zélande	: Tous les composants sont répertoriés ou exclus.
Philippines	: Tous les composants sont répertoriés ou exclus.
République de Corée	: Tous les composants sont répertoriés ou exclus.
Taiwan	: Tous les composants sont répertoriés ou exclus.
Turquie	: Indéterminé.

Réglementations États-Unis : **TSCA 8(a) PAIR**: Éther de polyéthylèneglycol et d'octylphényle
TSCA 8(a) CDR Exemption / Exemption partielle: Indéterminé
TSCA 8(b) Inventaire actif: Tous les composants sont répertoriés ou exclus.

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Non inscrit

Clean Air Act Section 602 Class I Substances : Non inscrit

Clean Air Act Section 602 Class II Substances : Non inscrit

DEA List I Chemicals (Precursor Chemicals) : Non inscrit

DEA List II Chemicals (Essential Chemicals) : Non inscrit

SARA 302/304 Composition/information sur les ingrédients

SARA 304 RQ : Non applicable.

SARA 311/312

Classification : Risque immédiat (aigu) pour la santé
 Danger d'intoxication différée (chronique).

Composition/information sur les ingrédients

Nom	%	Risques d'incendie	Décompression soudaine	Réactif	Risque immédiat (aigu) pour la santé	Danger d'intoxication différée (chronique).
Polyethylene glycol octylphenyl ether	≥50 - ≤75	Non.	Non.	Non.	Oui.	Non.
diéthylène glycol	≥10 - ≤25	Non.	Non.	Non.	Oui.	Oui.

Réglementations d'État

Massachusetts : Aucun des composants n'est répertorié.

New York : Aucun des composants n'est répertorié.

New Jersey : Aucun des composants n'est répertorié.

Pennsylvanie : Les composants suivants sont répertoriés: ETHANOL, 2,2'-OXYBIS-

Californie prop. 65 : Ce produit ne requiert pas d'avertissement de la sphère de sécurité en vertu de la Proposition 65 de Californie.

Section 16. Autres informations

Historique

Date d'édition/Date de révision : 7/16/2021
Date de publication précédente : Aucune validation antérieure
Version : 1

Indique quels renseignements ont été modifiés depuis la version précédente.

Légende des abréviations :

- ETA = Estimation de la toxicité aiguë
- FBC = Facteur de bioconcentration
- SGH = Système Général Harmonisé de classification et d'étiquetage des produits chimiques
- IATA = Association international du transport aérien
- CVI = conteneurs en vrac intermédiaires
- code IMDG = code maritime international des marchandises dangereuses
- LogK_{ow} = coefficient de partage octanol/eau
- MARPOL = Convention internationale pour la prévention de la pollution par les navires de 1973, telle que modifiée par le Protocole de 1978. ("MARPOL" = pollution maritime)
- NU = Nations Unies
- RPD = Règlement sur les produits dangereux

Procédure utilisée pour préparer la classification

Classification	Justification
TOXICITÉ AIGUË (orale) - Catégorie 4	Méthode de calcul
LÉSIONS OCULAIRES GRAVES - Catégorie 1	Méthode de calcul
TOXICITÉ POUR CERTAINS ORGANES CIBLES - EXPOSITIONS RÉPÉTÉES (reins) - Catégorie 2	Méthode de calcul

Références :

- Règlement sur le transport des marchandises dangereuses, édition courante au moment de la préparation du F.S., Transports Canada;
- Loi sur les produits dangereux et du Règlement, la révision courante au moment de la préparation du F.S., Santé Canada;
- Loi canadienne sur la protection de l'environnement (1999) et du Règlement sur les renseignements concernant les substances nouvelles, La Liste Intérieure des Substances, la révision courante au moment de la préparation du F.S., Environnement Canada;
- 29 CFR Part 1910, la révision courante au moment de la préparation du F.S., Administration de la Sécurité et de la Santé au Travail;
- 40 CFR Parties 1 à 799, la révision courante au moment de la préparation du F.S., Agence de Protection de l'Environnement des États Unis;
- 49 CFR Parties 1 à 199, la révision courante au moment de la préparation du F.S., Département des Transport des États Unis;
- Norme officielle mexicaine NOM-018-STPS-2015, Système harmonisé pour l'identification et la communication des dangers et des risques par des produits chimiques dangereux en milieu de travail;
- Norme officielle mexicaine NOM-010-STPS-2014, Agents chimiques contaminants du milieu de travail - Reconnaissance, évaluation et contrôle
- Norme officielle mexicaine NOM-002-SCT / 2011 Norme Officielle Mexicaine, Liste des plus couramment transportés substances et matières dangereuses;
- Des valeurs limites d'exposition (TLV) de la Conférence américaine des hygiénistes industriels gouvernementaux (ACGIH), édition courante à la moment de la préparation du F.S. ;
- NFPA 400, Association nationale de protection contre l'incendie, édition courante à la moment de la préparation du F.S.;
- NFPA 704, Association nationale de protection contre l'incendie, édition courante à la moment de la préparation du F.S.;
- Enquête données corrosion, sixième édition, 1985, Association nationale des ingénieurs de corrosion;

Section 16. Autres informations

ERG 2016, Guide des Mesures D'urgence, Département des Transport des États Unis, Transport Canada, et le Secrétariat des Transports et des Communications du Mexique

Banque de données sur les Substances Dangereuses, la révision courante au moment de la préparation du F.S, Bibliothèque nationale de médecine, Bethesda, Maryland

Système Intégré d'Information sur les Risques, la révision courante au moment de la préparation du F.S, Agence de Protection de l'Environnement des États Unis, Washington, DC

Guide de Poche de Dangers des Produits Chimiques, la révision courante au moment de la préparation du F.S., Institut National pour la Sécurité et la Santé, Cincinnati, Ohio;

Banque de données, l'Agence pour les substances toxiques et les maladies, la révision courante au moment de la préparation du F.S., Département de la santé et des services sociaux des États Unis, Atlanta, Géorgie

Programme national de toxicologie, Rapport sur les cancérogènes, Division de l'Institut national des sciences de la santé de l'environnement, Research Triangle Park, Caroline du Nord.

RTECS. Institut national pour la sécurité et la santé, Cincinnati, Ohio

Code des règlements de la Californie, Titre 27, Div 4, Chapitre 1, Proposition 65, 30 août 2018 revu et mises à jour actuelles

Avis au lecteur

Partenaires de la chaîne d'approvisionnement doivent veiller à ce qu'ils passent cette FDS, et toutes autres informations pertinentes sur la sécurité à leurs clients.

AVERTISSEMENT ET LIMITATION DE RESPONSABILITE

Les informations et recommandations contenues dans cette fiche signalétique («SDS») ne concernent que les matières spécifiques visées dans les présentes (le «matériel») et ne concernent pas l'utilisation de ces matériaux en combinaison avec tout autre matériel ou processus. Les informations et recommandations contenues dans ce document sont considérées comme exactes et à jour à compter de la date de la présente fiche signalétique. Toutefois, les informations et recommandations sont présentées sans garantie, représentation OU DE LICENCE D'AUCUNE SORTE, EXPLICITE OU IMPLICITE, EN CE QUI CONCERNE à leur exactitude, exactitude ou l'exhaustivité, et le vendeur, fournisseur et fabricant de matériel et de leur filiales respectives (COLLECTIVEMENT, LES «fournisseur») EXCLUENT TOUTE RESPONSABILITÉ POUR LA CONFIANCE DANS ces informations et recommandations. Cette FDS n'est pas une garantie de sécurité. Un acheteur ou l'utilisateur du matériel (un «bénéficiaire») est chargé de veiller à ce qu'elle dispose de tous les renseignements nécessaires pour utiliser en toute sécurité du matériel pour son but spécifique.

EN OUTRE, Le destinataire assume tous les risques RELATION AVEC L'UTILISATION DE LA MATIERE. Le destinataire assume tous responsabilité d'assurer le matériel est utilisé dans toute sécurité en RESPECT DES LOIS APPLICABLES L'ENVIRONNEMENT, DE LA SANTÉ, DE SÉCURITÉ ET DE SECURITE, LES POLITIQUES ET LES LIGNES DIRECTRICES. LE FOURNISSEUR NE GARANTIT PAS LA COMMERCIALISATION DE LA MATIERE OU LA SANTE DE LA MATIERE POUR UN USAGE PARTICULIER ET N'ACCEPTE AUCUNE RESPONSABILITÉ pour blessures ou dommages causés directement ou indirectement PAR OU EN RELATION AVEC L'UTILISATION DE LA MATIERE.

Super Spreader Adjuvant PCP 17402

Section 1. Identification

Identificateur de produit : Super Spreader Adjuvant PCP 17402

n° SDS : 10013329-21-LPI

**Autres moyens
d'identification**

Code(s) du produit : 10013329

Type de produit : Liquide.

Utilisations pertinentes identifiées de la substance ou du mélange et utilisations non recommandées

Utilisations identifiées

Surfactant.

**Données relatives au
fournisseur** : LOVELAND PRODUCTS, INC.
P.O. Box 1286
Greeley, CO 80632-1286

Loveland Products Canada Inc.
789 Donnybrook Drive
Dorchester, Ontario N0L 1G5

retail-SDS@nutrien.com – www.nutrienagsolutions.com

**Numéro de téléphone à
composer en cas d'urgence
(indiquer les heures de
service)** : Numéro de téléphone 24 heures: CHEMTREC 1-800-424-9300; CANUTEC
1-888-226-8832
Numéro de téléphone d'urgence médicale: 1-866-944-8565; Centre d'intervention
national de la Garde côtière des États-Unis: 1-800-424-8802

Section 2. Identification des dangers

**Classement de la
substance ou du mélange** : TOXICITÉ AIGUË (orale) - Catégorie 4
LÉSIONS OCULAIRES GRAVES - Catégorie 1
TOXICITÉ POUR CERTAINS ORGANES CIBLES - EXPOSITIONS RÉPÉTÉES
(reins) - Catégorie 2

Statut OSHA/HCS : Ce produit est considéré dangereux selon la norme OSHA sur la communication de
renseignements à l'égard des matières dangereuses (29 CFR 1910.1200).

Éléments d'étiquetage SGH

Pictogrammes de danger :



Mention d'avertissement : Danger

Mentions de danger : Nocif en cas d'ingestion.
Provoque de graves lésions des yeux.
Risque présumé d'effets graves pour les organes à la suite d'expositions répétées
ou d'une exposition prolongée. (reins)

Conseils de prudence

Généralités

: Lire l'étiquette avant utilisation. Tenir hors de portée des enfants. En cas de
consultation d'un médecin, garder à disposition le récipient ou l'étiquette.

Section 2. Identification des dangers

Prévention	: Porter une protection oculaire ou faciale. Ne pas respirer les vapeurs. Ne pas manger, boire ou fumer en manipulant ce produit. Se laver les mains soigneusement après manipulation.
Intervention	: Obtenez des soins médicaux si vous vous sentez mal. EN CAS D'INGESTION: Appelez un CENTRE ANTIPOISON ou un médecin si vous vous sentez mal. Rincer la bouche. EN CAS DE CONTACT AVEC LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles de contact si usé et si elles peuvent être facilement enlevés. Continuer à rincer. Appeler immédiatement un CENTRE ANTIPOISON ou un médecin.
Stockage	: Non applicable.
Élimination	: Éliminer le contenu et le récipient conformément à toutes les réglementations locales, régionales, nationales et internationales.
Éléments d'une étiquette complémentaire	: Aucun connu.
Autres dangers qui ne donnent pas lieu à une classification	: Aucun connu.

Section 3. Composition/information sur les ingrédients

Substance/préparation : Mélange

Nom des ingrédients	% (p/p)	Numéro CAS
Éther de polyéthylèneglycol et d'octylphényle	48.9 - 52	9036-19-5
L'eau	27.2 - 28.8	7732-18-5
Diéthylène glycol	19 - 21	111-46-6
macrogol	1.5 - 1.6	25322-68-3

Dans l'état actuel des connaissances du fournisseur et dans les concentrations d'application, aucun autre ingrédient présent n'est classé comme dangereux pour la santé ou l'environnement, et donc nécessiterait de figurer dans cette section.

Les limites d'exposition professionnelle, quand elles sont disponibles, sont énumérées à la section 8.

Section 4. Premiers soins

Description des premiers soins nécessaires

Contact avec les yeux	: CORROSIF. Commencer immédiatement irrigation des yeux. Toute exposition des yeux à la solution nécessite une évaluation médicale après décontamination. Rincer immédiatement les yeux avec de grandes quantités d'eau ou de sérum physiologique pour un minimum de 30 minutes, plus le temps d'irrigation est préférable, si possible, en raison de la réaction chimique qui se produit - voir les notes du médecin ci-dessous. Si possible, enlever les lentilles de contact en faisant attention à ne pas provoquer des lésions oculaires supplémentaires. Si l'approvisionnement en eau initiale est insuffisante, garder la zone affectée humide avec un chiffon humide et transférer la personne à l'endroit le plus proche où le rinçage peut être poursuivi pendant la durée recommandée de temps. Appelez une ambulance pour le transport à l'hôpital. Continuer irrigation des yeux pendant le transport. Pour des conseils supplémentaires appeler le numéro d'urgence médicale sur cette fiche de données de sécurité ou votre centre antipoison ou un médecin.
Inhalation	: Transporter la personne à l'air frais. Aucun effet important. Consulter un médecin pour détecter tout signe de respiration sifflante et / ou des difficultés respiratoires. Pour des conseils supplémentaires appeler le numéro d'urgence médicale dans cette FDS ou votre centre antipoison ou un fournisseur de soins médicaux.
Contact avec la peau	: Aucun effet important. Rincer les zones affectées avec de l'eau. Enlever les vêtements contaminés, des bijoux et des chaussures. Laver les articles avant de les réutiliser. Obtenir des soins médicaux pour une douleur persistante de la peau ou d'irritation. Pour des conseils supplémentaires appeler le numéro d'urgence médicale dans cette FDS ou votre centre antipoison ou un médecin.

Section 4. Premiers soins

Ingestion : Consulter un médecin immédiatement. Appeler un centre antipoison ou un médecin. Laver la bouche avec de l'eau. Enlever les prothèses dentaires s'il y a lieu. Transporter la victime à l'extérieur et la maintenir au repos dans une position où elle peut confortablement respirer. En cas d'ingestion de la matière et si la personne exposée est consciente, lui donner de petites quantités d'eau à boire. Arrêter si la personne se sent malade car des vomissements peuvent être dangereux. Ne pas faire vomir sauf indication contraire émanant du personnel médical. En cas de vomissements, garder la tête basse afin d'éviter la pénétration du vomi dans les poumons. Les brûlures chimiques doivent être traitées rapidement par un médecin. Ne rien faire ingérer à une personne inconsciente. Si la personne est inconsciente, la placer en position de rétablissement et consulter un médecin immédiatement. Assurez-vous d'une bonne circulation d'air. Détacher tout ce qui pourrait être serré, comme un col, une cravate, une ceinture ou un ceinturon.

Symptômes et effets les plus importants, qu'ils soient aigus ou retardés

Effets aigus potentiels sur la santé

Contact avec les yeux : Provoque de graves lésions des yeux.
Inhalation : Aucun effet important ou danger critique connu.
Contact avec la peau : Aucun effet important ou danger critique connu.
Ingestion : Nocif en cas d'ingestion.

Signes/symptômes de surexposition

Contact avec les yeux : Les symptômes néfastes peuvent éventuellement comprendre ce qui suit:
douleur
larmoiement
rougeur

Inhalation : Aucune donnée spécifique.

Contact avec la peau : Les symptômes néfastes peuvent éventuellement comprendre ce qui suit:
douleur ou irritation
rougeur
la formation d'ampoules peut éventuellement apparaître

Ingestion : Les symptômes néfastes peuvent éventuellement comprendre ce qui suit:
irritation
nausées ou vomissements
diarrhée

Mention de la nécessité d'une prise en charge médicale immédiate ou d'un traitement spécial, si nécessaire

Note au médecin traitant : Traitement symptomatique requis. Contactez le spécialiste en traitement de poison immédiatement si de grandes quantités ont été ingérées ou inhalées. Contient du (de la): Diéthylène glycol. Un mélange de charbon activé peut être administré. Pour préparer le mélange de charbon activé, faire une suspension de 50 grammes de charbon activé dans 400 ml d'eau et bien mélanger. Administrer 5 ml/kg, ou 350 ml pour un adulte moyen.

Traitements particuliers : Contient du (de la): Diethylene glycol. Traitement symptomatique requis. Communiquez avec le numéro de téléphone urgence médicale 24 heures de Nutrien pour obtenir du soutien professionnel : 1-800-561-8273.

Protection des sauveteurs : Ne prendre aucune mesure impliquant un risque personnel ou en l'absence de formation adéquate. Si l'on soupçonne que des fumées sont encore présentes, le sauveteur devra porter un masque adéquat ou un appareil de protection respiratoire autonome. Le bouche-à-bouche peut se révéler dangereux pour la personne portant secours. Laver abondamment à l'eau les vêtements contaminés avant de les retirer, ou porter des gants.

Voir Information toxicologique (section 11)

Section 5. Mesures à prendre en cas d'incendie

Moyens d'extinction

- Agents extincteurs appropriés** : Employer un agent extincteur qui convient aux feux environnants. Si nécessaire: Utiliser des poudres chimiques sèches, du CO₂, de l'eau vaporisée (brouillard) ou de la mousse.
- Agents extincteurs inappropriés** : Aucun connu.

Dangers spécifiques du produit : Si ce produit est chauffé ou se trouve au contact du feu, une augmentation de pression se produit et le conteneur peut éclater.

Produit de décomposition thermique dangereux : Les produits de décomposition peuvent éventuellement comprendre les substances suivantes:
dioxyde de carbone
Monoxyde de carbone

Mesures spéciales de protection pour les pompiers : En présence d'incendie, circonscrire rapidement le site en évacuant toute personne se trouvant près des lieux de l'accident. Ne prendre aucune mesure impliquant un risque personnel ou en l'absence de formation adéquate.

Équipement de protection spécial pour le personnel préposé à la lutte contre le feu : Il est impératif que les pompiers portent un équipement de protection adéquat, ainsi qu'un appareil respiratoire autonome (ARA) équipé d'un masque couvre-visage à pression positive.

Remarque : Ce matériau ne est pas explosif. Contenez et recueillez l'eau combattait le feu pour traitement plus en retard et disposition.

Section 6. Mesures à prendre en cas de déversement accidentel

Précautions individuelles, équipements de protection et mesures d'urgence

Pour le personnel non affecté aux urgences : Ne prendre aucune mesure impliquant un risque personnel ou en l'absence de formation adéquate. Empêcher l'accès aux personnes gênantes ou non protégées. Ne pas toucher ni marcher dans le produit répandu. Éviter de respirer les vapeurs ou le brouillard. Assurer une ventilation adéquate. Porter un appareil respiratoire approprié lorsque le système de ventilation est inadéquat. Porter un équipement de protection individuelle approprié.

Intervenants en cas d'urgence : Si des vêtements spécialisés sont requis pour traiter un déversement, prendre note de tout renseignement donné à la Section 8 sur les matériaux appropriés ou non. Consultez également les renseignements sous « Pour le personnel non affecté aux urgences ».

Précautions environnementales : Évitez la dispersion des matériaux déversés, ainsi que leur écoulement et tout contact avec le sol, les voies navigables, les drains et les égouts. Avertir les autorités compétentes si le produit a engendré des effets néfastes (égouts, voies navigables, sol ou air).

Méthodes et matériaux pour le confinement et le nettoyage

Petit déversement : Revêtir un équipement de protection individuelle approprié (voir Section 8). Écarter les conteneurs de la zone de déversement. Récupérez le matériel et l'utiliser aux fins prévues.
ou
Placer le produit déversé dans un contenant à déchets désigné et étiqueté. Éliminer par l'intermédiaire d'une entreprise spécialisée autorisée de collecte des déchets.

Section 6. Mesures à prendre en cas de déversement accidentel

- Grand déversement** : Revêtir un équipement de protection individuelle approprié (voir Section 8). Écarter les conteneurs de la zone de déversement. Empêcher la pénétration dans les égouts, les cours d'eau, les sous-sol ou les zones confinées. Utiliser l'équipement approprié de placer la substance déversée dans un récipient pour une réutilisation ou d'élimination. Recyclez dans le procédé, si possible.
- ou
Éliminer par l'intermédiaire d'une entreprise spécialisée autorisée de collecte des déchets. Nota : Voir Section 1 pour de l'information relative aux urgences et voir Section 13 pour l'élimination des déchets.

Section 7. Manutention et stockage

Précautions relatives à la sûreté en matière de manutention

- Mesures de protection** : Revêtir un équipement de protection individuelle approprié (voir Section 8). Éviter tout contact avec les yeux, la peau et les vêtements. Éviter de respirer les vapeurs ou le brouillard. Ne pas ingérer. Si au cours d'une utilisation normale, la substance présente un danger respiratoire, une ventilation adéquate ou le port d'un appareil respiratoire est obligatoire. Garder dans le conteneur d'origine ou dans un autre conteneur de substitution homologué fabriqué à partir d'un matériau compatible et tenu hermétiquement clos lorsqu'il n'est pas utilisé. Les conteneurs vides retiennent des résidus de produit et peuvent présenter un danger. Ne pas réutiliser ce conteneur.
- Conseils sur l'hygiène générale au travail** : Les personnes travaillant avec ce produit devraient se laver les mains et la figure avant de manger, boire ou fumer. Retirer les vêtements et l'équipement de protection contaminés avant de pénétrer dans des aires de repas. Consulter également la Section 8 pour d'autres renseignements sur les mesures d'hygiène.
- Conditions de sûreté en matière de stockage, y compris les incompatibilités** : Ne pas stocker en-dessous de la température suivante: 0°C (32°F). Entreposer conformément à la réglementation locale. Entreposer dans le contenant original à l'abri de la lumière solaire, dans un endroit sec, frais et bien ventilé, à l'écart des substances incompatibles (voir la Section 10), de la nourriture et de la boisson. Garder sous clef. Garder le récipient hermétiquement fermé lorsque le produit n'est pas utilisé. Les récipients ouverts doivent être refermés avec soin et maintenus en position verticale afin d'éviter les fuites. Ne pas stocker dans des conteneurs non étiquetés. Utiliser un récipient approprié pour éviter toute contamination du milieu ambiant. Voir la section 10 relative aux matières incompatibles avant la manutention ou l'utilisation.

Section 8. Contrôle de l'exposition/protection individuelle

Paramètres de contrôle

Limites d'exposition professionnelle

Nom des ingrédients	Limites d'exposition
Règlements Canadiens Éther de polyéthylèneglycol et d'octylphényle L'eau Diéthylène glycol macrogol	Non attribué. Non attribué. AIHA WEEL (États-Unis, 7/2018). TWA: 10 mg/m ³ 8 heures. AIHA WEEL (États-Unis, 7/2018). TWA: 10 mg/m ³ 8 heures.
Réglementations États-Unis Éther de polyéthylèneglycol et d'octylphényle L'eau diéthylène glycol macrogol	Non attribué. Non attribué. AIHA WEEL (États-Unis, 7/2018). TWA: 10 mg/m ³ 8 heures. AIHA WEEL (États-Unis, 7/2018). TWA: 10 mg/m ³ 8 heures.

Section 8. Contrôle de l'exposition/protection individuelle

Contrôles d'ingénierie appropriés : Si les manipulations de l'utilisateur provoquent de la poussière, des fumées, des gaz, des vapeurs ou du brouillard, utiliser des enceintes fermées, une ventilation par aspiration à la source, ou d'autres systèmes de contrôle automatique intégrés afin de maintenir le seuil d'exposition du technicien aux contaminants en suspension dans l'air inférieur aux limites recommandées ou légales.

Contrôle de l'action des agents d'environnement : Il importe de tester les émissions provenant des systèmes d'aération et du matériel de fabrication pour vous assurer qu'elles sont conformes aux exigences de la législation sur la protection de l'environnement. Dans certains cas, il sera nécessaire d'équiper le matériel de fabrication d'un épurateur de gaz ou d'un filtre ou de le modifier techniquement afin de réduire les émissions à des niveaux acceptables.

Mesures de protection individuelle

Mesures d'hygiène : Après manipulation de produits chimiques, lavez-vous les mains, les avant-bras et le visage avec soin avant de manger, de fumer, d'aller aux toilettes et une fois votre travail terminé. Utiliser les techniques appropriées pour retirer les vêtements contaminés. Laver les vêtements contaminés avant de les réutiliser. Assurez-vous que des bassins oculaires et des douches de décontamination sont installés près des postes de travail.

Protection oculaire/ faciale : Le port de lunettes de sécurité conformes à une norme approuvée est obligatoire quand une évaluation des risques le préconise pour éviter toute exposition aux éclaboussures de liquides, à la buée, aux gaz ou aux poussières. Si un contact est possible, les protections suivantes doivent être portées, à moins qu'une évaluation indique un besoin pour une protection supérieure : lunettes de protection contre les produits chimiques et/ou écran facial. Si des risques respiratoires existent, un masque respiratoire complet peut être requis à la place.

Protection de la peau

Protection des mains : Lors de la manipulation de produits chimiques, porter en permanence des gants étanches et résistants aux produits chimiques conformes à une norme approuvée, si une évaluation du risque indique que cela est nécessaire. En tenant compte des paramètres indiqués par le fabricant de gants, vérifier que les gants gardent toujours leurs propriétés de protection pendant leur utilisation. Il faut noter que le temps de percement pour tout matériau utilisé dans des gants peut varier pour différents fabricants de gants. Dans le cas de mélanges, constitués de plusieurs substances, la durée de protection des gants ne peut pas être évaluée avec précision. Recommandé : Contactez votre fabricant d'équipement de protection pour vérifier la compatibilité de l'équipement pour l'usage prévu.

Protection du corps : L'équipement de protection individuelle pour le corps doit être adapté à la tâche exécutée et aux risques encourus, et approuvé par un expert avant toute manipulation de ce produit. Recommandé: Contactez votre fabricant d'équipement de protection pour vérifier la compatibilité de l'équipement pour l'usage prévu.

Autre protection pour la peau : Il faut sélectionner des chaussures appropriées et toute autre mesure appropriée de protection de la peau en fonction de la tâche en cours et des risques en cause et cette sélection doit être approuvée par un spécialiste avant de manipuler ce produit.

Protection respiratoire : En fonction du risque et de la possibilité d'une exposition, choisir un respirateur qui est conforme à la norme ou certification appropriée. Les respirateurs doivent être utilisés suivant un programme de protection pour assurer un ajustement, une formation appropriée et d'aspects d'utilisation importants. Recommandé: Contactez votre fabricant d'équipement de protection pour vérifier la compatibilité de l'équipement pour l'usage prévu.

Section 9. Propriétés physiques et chimiques

Apparence

État physique	: Liquide.
Couleur	: Incolore à jaune pâle.
Odeur	: Alcool.
Seuil olfactif	: Non disponible.
pH	: 7.1
Point de fusion	: Non disponible.
Point d'ébullition	: Non disponible.
Point d'éclair	: Vase clos: >100°C (>212°F)
Taux d'évaporation	: Non disponible.
Inflammabilité (solides et gaz)	: Non disponible.
Limites inférieure et supérieure d'explosion (d'inflammation)	: Non disponible.
Tension de vapeur	: Non disponible.
Densité de vapeur	: Non disponible.
Densité relative	: 1.075 [Eau = 1]
Densité	: 1.075 g/cm ³
Solubilité	: Soluble dans les substances suivantes: l'eau froide et l'eau chaude.
Coefficient de partage n-octanol/eau	: Non disponible.
Température d'auto-inflammation	: Non disponible.
Température de décomposition	: Non disponible.
Viscosité	: Non disponible.

Section 10. Stabilité et réactivité

Réactivité	: Aucune donnée d'essai spécifique à la réactivité disponible pour ce produit ou ses ingrédients.
Stabilité chimique	: Le produit est stable.
Risque de réactions dangereuses	: Dans des conditions normales de stockage et d'utilisation, aucune réaction dangereuse ne se produit.
Conditions à éviter	: Chaleur excessive. Tenir éloigné de la chaleur, des étincelles, de la flamme nue, ou de toute autre source d'inflammation.
Matériaux incompatibles	: Matières très oxydantes.
Produits de décomposition dangereux	: Dans des conditions normales de stockage et d'utilisation, aucun produit de décomposition dangereux ne devrait apparaître.

Section 11. Données toxicologiques

Renseignements sur les effets toxicologiques

Toxicité aiguë

Nom du produit ou de l'ingrédient	Résultat	Espèces	Dosage	Exposition
Polyethylene glycol octylphenyl ether	DL50 Cutané	Lapin	>3000 mg/kg	-
	DL50 Orale	Rat	1900 à 5000 mg/kg	-
Diéthylène glycol	DL50 Cutané	Lapin	11890 mg/kg	-
	DL50 Orale	Rat	12000 mg/kg	-

Conclusion/Résumé : Nocif en cas d'ingestion.

Irritation/Corrosion

Nom du produit ou de l'ingrédient	Résultat	Espèces	Potentiel	Exposition	Observation
Diéthylène glycol	Yeux - Léger irritant	Lapin	-	50 mg	-
	Peau - Léger irritant	Humain	-	72 heures	-
	Peau - Léger irritant	Lapin	-	112 mg l 500 mg	-

Conclusion/Résumé

Peau : prolonged exposure: la formation d'ampoules peut éventuellement apparaître. Peut provoquer une irritation de la peau.

Yeux : Provoque de graves lésions des yeux.

Respiratoire : Aucun effet important ou danger critique connu.

Sensibilisation

Non disponible.

Conclusion/Résumé

Peau : Aucun effet important ou danger critique connu.

Respiratoire : Aucun effet important ou danger critique connu.

Mutagénicité

Non disponible.

Conclusion/Résumé : Aucun effet important ou danger critique connu.

Cancérogénicité

Non disponible.

Toxicité pour la reproduction

Non disponible.

Conclusion/Résumé : Aucun effet important ou danger critique connu.

Térogénicité

Non disponible.

Conclusion/Résumé : Aucun effet important ou danger critique connu.

Toxicité systémique pour certains organes cibles - exposition unique -

Non disponible.

Toxicité pour certains organes cibles - expositions répétées -

Nom	Catégorie	Voie d'exposition	Organes cibles
Diéthylène glycol	Catégorie 2	Orale	reins

Risque d'absorption par aspiration

Section 11. Données toxicologiques

Non disponible.

Renseignements sur les voies d'exposition probables : Voies d'entrée probables : Orale, Cutané, Inhalation.

Effets aigus potentiels sur la santé

Contact avec les yeux : Provoque de graves lésions des yeux.
Inhalation : Aucun effet important ou danger critique connu.
Contact avec la peau : Aucun effet important ou danger critique connu.
Ingestion : Nocif en cas d'ingestion.

Symptômes correspondant aux caractéristiques physiques, chimiques et toxicologiques

Contact avec les yeux : Les symptômes néfastes peuvent éventuellement comprendre ce qui suit:
douleur
larmolement
rougeur

Inhalation : Aucune donnée spécifique.

Contact avec la peau : Les symptômes néfastes peuvent éventuellement comprendre ce qui suit:
douleur ou irritation
rougeur
la formation d'ampoules peut éventuellement apparaître

Ingestion : Les symptômes néfastes peuvent éventuellement comprendre ce qui suit:
irritation
nausées ou vomissements
diarrhée

Effets différés et immédiats ainsi que les effets chroniques causés par une exposition à court et à long terme

Exposition de courte durée

Effets immédiats possibles : Voir ci-dessus.
Effets différés possibles : Voir ci-dessus.

Exposition de longue durée

Effets immédiats possibles : Voir ci-dessus.
Effets différés possibles : Voir dessous.

Effets chroniques potentiels sur la santé

Conclusion/Résumé : Risque présumé d'effets graves pour les organes à la suite d'expositions répétées ou d'une exposition prolongée en cas d'ingestion. (reins)

Généralités : Voir ci-dessus.

Cancérogénicité : Aucun effet important ou danger critique connu.

Mutagénicité : Aucun effet important ou danger critique connu.

Tératogénicité : Aucun effet important ou danger critique connu.

Effets sur le développement : Aucun effet important ou danger critique connu.

Effets sur la fertilité : Aucun effet important ou danger critique connu.

Section 12. Données écologiques

Toxicité

Nom du produit ou de l'ingrédient	Résultat	Espèces	Exposition
Polyethylene glycol octylphenyl ether	Aiguë CE50 18 à 26 mg/l	Daphnie	48 heures
Diéthylène glycol	Aiguë CL50 4 à 8.9 mg/l Aiguë CL50 75200000 µg/l Eau douce	Poisson Poisson - Pimephales promelas	96 heures 96 heures

Conclusion/Résumé : Très faible toxicité aiguë pour les poissons.

Persistance et dégradation

Nom du produit ou de l'ingrédient	Test	Résultat	Dosage	Inoculum
Polyethylene glycol octylphenyl ether	OECD 301B Biodégradabilité facile - Essai de dégagement de CO ₂	>60 % - 28 jours	-	-

Nom du produit ou de l'ingrédient	Demi-vie aquatique	Photolyse	Biodégradabilité
Polyethylene glycol octylphenyl ether	-	-	Facilement

Potentiel de bioaccumulation

Nom du produit ou de l'ingrédient	LogP _{ow}	BCF	Potentiel
Polyethylene glycol octylphenyl ether	2.7	15	faible
Diéthylène glycol	-1.98	100	faible

Mobilité dans le sol

Coefficient de répartition sol/eau (K_{oc}) : Non disponible.

Autres effets nocifs : Aucun effet important ou danger critique connu.

Section 13. Données sur l'élimination

Méthodes d'élimination : Il est important de réduire au minimum, voire d'éviter la génération de déchets chaque fois que possible. La mise au rebut de ce produit, des solutions et de tous les co-produits doit obéir en permanence aux dispositions de la législation sur la protection de l'environnement et l'élimination des déchets et demeurer conforme aux exigences des pouvoirs publics locaux. Éliminer le surplus et les produits non recyclables par l'intermédiaire d'une entreprise spécialisée autorisée de collecte des déchets. Ne pas rejeter les déchets non traités dans les égouts, à moins que ce soit en conformité avec les exigences de toutes les autorités compétentes. Il faut prendre des précautions lors de la manipulation de contenants vides qui n'ont pas été nettoyés ou rincés. Évitez la dispersion des matériaux déversés, ainsi que leur écoulement et tout contact avec le sol, les voies navigables, les drains et les égouts.

Section 14. Informations relatives au transport

	Classification pour le TMD	Classification pour le DOT	Classement mexicain	IMDG	IATA
Numéro ONU	Non réglementé.	Non réglementé.	Non réglementé.	Non réglementé.	Non réglementé.
Désignation officielle de transport de l'ONU	-	-	-	-	-
Classe de danger relative au transport	-	-	-	-	-
Groupe d'emballage	-	-	-	-	-
Dangers environnementaux	Non.	Non.	Non.	Non.	Non.
Autres informations	-	-	-	-	-

Protections spéciales pour l'utilisateur : **Transport avec les utilisateurs locaux** : toujours transporter dans des conditionnements qui sont corrects et sécurisés. S'assurer que les personnes transportant le produit connaissent les mesures à prendre en cas d'accident ou de déversement accidentel.

Transport en vrac aux termes de l'annexe II de la Convention MARPOL et du Recueil IBC : Non disponible.

Section 15. Informations sur la réglementation

Listes canadiennes

INRP canadien : Les composants suivants sont répertoriés: octylphénol et ses dérivés éthoxylés

Substances toxiques au sens de la LCPE (Loi canadienne sur la protection de l'environnement) : Aucun des composants n'est répertorié.

Inventaire du Canada : Tous les composants sont répertoriés ou exclus.

Réglementations Internationales

Liste des substances chimiques des tableaux I, II et III de la Convention sur les armes chimiques

Non inscrit.

Protocole de Montréal (Annexes A, B, C, E)

Non inscrit.

Convention de Stockholm relative aux polluants organiques persistants

Non inscrit.

Convention de Rotterdam sur le consentement préalable donné en connaissance de cause (PIC)

Non inscrit.

Protocole d'Aarhus de la CEE-ONU relatif aux POP et aux métaux lourds

Section 15. Informations sur la réglementation

Non inscrit.

Liste des stocks

Australie	: Tous les composants sont répertoriés ou exclus.
Chine	: Tous les composants sont répertoriés ou exclus.
Europe	: Indéterminé.
Japon	: Inventaire du Japon (ENCS) : Tous les composants sont répertoriés ou exclus. Inventaire japonais (ISHL) : Indéterminé.
Malaisie	: Indéterminé
Nouvelle-Zélande	: Tous les composants sont répertoriés ou exclus.
Philippines	: Tous les composants sont répertoriés ou exclus.
République de Corée	: Tous les composants sont répertoriés ou exclus.
Taiwan	: Tous les composants sont répertoriés ou exclus.
Turquie	: Indéterminé.

Réglementations États-Unis : **TSCA 8(a) PAIR**: Éther de polyéthylèneglycol et d'octylphényle
TSCA 8(a) CDR Exemption / Exemption partielle: Indéterminé
TSCA 8(b) Inventaire actif: Tous les composants sont répertoriés ou exclus.

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Non inscrit

Clean Air Act Section 602 Class I Substances : Non inscrit

Clean Air Act Section 602 Class II Substances : Non inscrit

DEA List I Chemicals (Precursor Chemicals) : Non inscrit

DEA List II Chemicals (Essential Chemicals) : Non inscrit

SARA 302/304 Composition/information sur les ingrédients

SARA 304 RQ : Non applicable.

SARA 311/312

Classification : Risque immédiat (aigu) pour la santé
 Danger d'intoxication différée (chronique).

Composition/information sur les ingrédients

Nom	%	Risques d'incendie	Décompression soudaine	Réactif	Risque immédiat (aigu) pour la santé	Danger d'intoxication différée (chronique).
Polyethylene glycol octylphenyl ether	≥50 - ≤75	Non.	Non.	Non.	Oui.	Non.
diéthylène glycol	≥10 - ≤25	Non.	Non.	Non.	Oui.	Oui.

Réglementations d'État

Massachusetts : Aucun des composants n'est répertorié.

New York : Aucun des composants n'est répertorié.

New Jersey : Aucun des composants n'est répertorié.

Pennsylvanie : Les composants suivants sont répertoriés: ETHANOL, 2,2'-OXYBIS-

Californie prop. 65 : Ce produit ne requiert pas d'avertissement de la sphère de sécurité en vertu de la Proposition 65 de Californie.

Section 16. Autres informations

Historique

Date d'édition/Date de révision : 7/16/2021
Date de publication précédente : Aucune validation antérieure
Version : 1

Indique quels renseignements ont été modifiés depuis la version précédente.

Légende des abréviations :

- ETA = Estimation de la toxicité aiguë
- FBC = Facteur de bioconcentration
- SGH = Système Général Harmonisé de classification et d'étiquetage des produits chimiques
- IATA = Association international du transport aérien
- CVI = conteneurs en vrac intermédiaires
- code IMDG = code maritime international des marchandises dangereuses
- LogK_{ow} = coefficient de partage octanol/eau
- MARPOL = Convention internationale pour la prévention de la pollution par les navires de 1973, telle que modifiée par le Protocole de 1978. ("MARPOL" = pollution maritime)
- NU = Nations Unies
- RPD = Règlement sur les produits dangereux

Procédure utilisée pour préparer la classification

Classification	Justification
TOXICITÉ AIGUË (orale) - Catégorie 4	Méthode de calcul
LÉSIONS OCULAIRES GRAVES - Catégorie 1	Méthode de calcul
TOXICITÉ POUR CERTAINS ORGANES CIBLES - EXPOSITIONS RÉPÉTÉES (reins) - Catégorie 2	Méthode de calcul

Références :

- Règlement sur le transport des marchandises dangereuses, édition courante au moment de la préparation du F.S., Transports Canada;
- Loi sur les produits dangereux et du Règlement, la révision courante au moment de la préparation du F.S., Santé Canada;
- Loi canadienne sur la protection de l'environnement (1999) et du Règlement sur les renseignements concernant les substances nouvelles, La Liste Intérieure des Substances, la révision courante au moment de la préparation du F.S., Environnement Canada;
- 29 CFR Part 1910, la révision courante au moment de la préparation du F.S., Administration de la Sécurité et de la Santé au Travail;
- 40 CFR Parties 1 à 799, la révision courante au moment de la préparation du F.S., Agence de Protection de l'Environnement des États Unis;
- 49 CFR Parties 1 à 199, la révision courante au moment de la préparation du F.S., Département des Transport des États Unis;
- Norme officielle mexicaine NOM-018-STPS-2015, Système harmonisé pour l'identification et la communication des dangers et des risques par des produits chimiques dangereux en milieu de travail;
- Norme officielle mexicaine NOM-010-STPS-2014, Agents chimiques contaminants du milieu de travail - Reconnaissance, évaluation et contrôle
- Norme officielle mexicaine NOM-002-SCT / 2011 Norme Officielle Mexicaine, Liste des plus couramment transportés substances et matières dangereuses;
- Des valeurs limites d'exposition (TLV) de la Conférence américaine des hygiénistes industriels gouvernementaux (ACGIH), édition courante à la moment de la préparation du F.S. ;
- NFPA 400, Association nationale de protection contre l'incendie, édition courante à la moment de la préparation du F.S.;
- NFPA 704, Association nationale de protection contre l'incendie, édition courante à la moment de la préparation du F.S.;
- Enquête données corrosion, sixième édition, 1985, Association nationale des ingénieurs de corrosion;

Section 16. Autres informations

ERG 2016, Guide des Mesures D'urgence, Département des Transport des États Unis, Transport Canada, et le Secrétariat des Transports et des Communications du Mexique

Banque de données sur les Substances Dangereuses, la révision courante au moment de la préparation du F.S, Bibliothèque nationale de médecine, Bethesda, Maryland

Système Intégré d'Information sur les Risques, la révision courante au moment de la préparation du F.S, Agence de Protection de l'Environnement des États Unis, Washington, DC

Guide de Poche de Dangers des Produits Chimiques, la révision courante au moment de la préparation du F.S., Institut National pour la Sécurité et la Santé, Cincinnati, Ohio;

Banque de données, l'Agence pour les substances toxiques et les maladies, la révision courante au moment de la préparation du F.S., Département de la santé et des services sociaux des États Unis, Atlanta, Géorgie

Programme national de toxicologie, Rapport sur les cancérogènes, Division de l'Institut national des sciences de la santé de l'environnement, Research Triangle Park, Caroline du Nord.

RTECS. Institut national pour la sécurité et la santé, Cincinnati, Ohio

Code des règlements de la Californie, Titre 27, Div 4, Chapitre 1, Proposition 65, 30 août 2018 revu et mises à jour actuelles

Avis au lecteur

Partenaires de la chaîne d'approvisionnement doivent veiller à ce qu'ils passent cette FDS, et toutes autres informations pertinentes sur la sécurité à leurs clients.

AVERTISSEMENT ET LIMITATION DE RESPONSABILITE

Les informations et recommandations contenues dans cette fiche signalétique («SDS») ne concernent que les matières spécifiques visées dans les présentes (le «matériel») et ne concernent pas l'utilisation de ces matériaux en combinaison avec tout autre matériel ou processus. Les informations et recommandations contenues dans ce document sont considérées comme exactes et à jour à compter de la date de la présente fiche signalétique. Toutefois, les informations et recommandations sont présentées sans garantie, représentation OU DE LICENCE D'AUCUNE SORTE, EXPLICITE OU IMPLICITE, EN CE QUI CONCERNE à leur exactitude, exactitude ou l'exhaustivité, et le vendeur, fournisseur et fabricant de matériel et de leur filiales respectives (COLLECTIVEMENT, LES «fournisseur») EXCLUENT TOUTE RESPONSABILITÉ POUR LA CONFIANCE DANS ces informations et recommandations. Cette FDS n'est pas une garantie de sécurité. Un acheteur ou l'utilisateur du matériel (un «bénéficiaire») est chargé de veiller à ce qu'elle dispose de tous les renseignements nécessaires pour utiliser en toute sécurité du matériel pour son but spécifique.

EN OUTRE, Le destinataire assume tous les risques RELATION AVEC L'UTILISATION DE LA MATIERE. Le destinataire assume tous responsabilité d'assurer le matériel est utilisé dans toute sécurité en RESPECT DES LOIS APPLICABLES L'ENVIRONNEMENT, DE LA SANTÉ, DE SÉCURITÉ ET DE SECURITE, LES POLITIQUES ET LES LIGNES DIRECTRICES. LE FOURNISSEUR NE GARANTIT PAS LA COMMERCIALISATION DE LA MATIERE OU LA SANTE DE LA MATIERE POUR UN USAGE PARTICULIER ET N'ACCEPTE AUCUNE RESPONSABILITÉ pour blessures ou dommages causés directement ou indirectement PAR OU EN RELATION AVEC L'UTILISATION DE LA MATIERE.

Section 1. Identification

Product identifier : Super Spreader Adjuvant PCP 17402

SDS # : 10013329-21-LPI

Other means of identification

Product code(s) : 10013329

Product type : Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Surfactant.

Supplier's details : LOVELAND PRODUCTS, INC.
P.O. Box 1286
Greeley, CO 80632-1286

Loveland Products Canada Inc.
789 Donnybrook Drive
Dorchester, Ontario N0L 1G5

retail-SDS@nutrien.com – www.nutrienagsolutions.com

Emergency telephone number (with hours of operation) : 24-hour telephone number: CHEMTREC 1-800-424-9300; CANUTEC 1-888-226-8832
Medical Emergency telephone number: 1-866-944-8565; U.S. Coast Guard National Response Center: 1-800-424-8802

Section 2. Hazard identification

Classification of the substance or mixture : ACUTE TOXICITY (oral) - Category 4
SERIOUS EYE DAMAGE - Category 1
SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (kidneys) - Category 2

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : Harmful if swallowed.
Causes serious eye damage.
May cause damage to organs through prolonged or repeated exposure. (kidneys)

Precautionary statements

General : Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.

Prevention : Wear eye or face protection. Do not breathe vapor. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Section 2. Hazard identification

- Response** : Get medical attention if you feel unwell. IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. Rinse mouth. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.
- Storage** : Not applicable.
- Disposal** : Dispose of contents and container in accordance with all local, regional, national and international regulations.
- Supplemental label elements** : None known.
- Other hazards which do not result in classification** : None known.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	% (w/w)	CAS number
Polyethylene glycol octylphenyl ether	48.9 - 52	9036-19-5
Water	27.2 - 28.8	7732-18-5
Diethylene glycol	19 - 21	111-46-6
Poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxy- Ethane-1,2-diol, ethoxylated	1.5 - 1.6	25322-68-3

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-aid measures

Description of necessary first aid measures

- Eye contact** : CORROSIVE. Begin eye irrigation immediately. All eye exposures require medical evaluation following decontamination. Immediately rinse eyes with large quantities of water or saline for a minimum 30 minutes, longer irrigation time is preferred if possible, due to the chemical reaction that occurs - see Notes to Physician below. If possible, remove contact lenses being careful not to cause additional eye damage. If the initial water supply is insufficient, keep the affected area wet with a moist cloth and transfer the person to the nearest place where rinsing can be continued for the recommended length of time. Call an ambulance for transport to hospital. Continue eye irrigation during transport. For additional advice call the medical emergency number on this safety data sheet or your poison center or doctor.
- Inhalation** : Remove person to fresh air. No known significant effects. Seek medical attention for any signs of wheezing and/or breathing difficulties. For additional advice call the medical emergency number on this SDS or your poison center or medical provider.
- Skin contact** : No known significant effects. Rinse the affected areas with water. Remove contaminated clothing, jewelry, and shoes. Wash/clean items before reuse. Seek medical attention for persistent skin pain or irritation. For additional advice call the medical emergency number on this SDS or your poison center or doctor.
- Ingestion** : Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Section 4. First-aid measures

Most important symptoms/effects, acute and delayed

Potential acute health effects

- Eye contact** : Causes serious eye damage.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : Harmful if swallowed.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:
pain
watering
redness
- Inhalation** : No specific data.
- Skin contact** : Adverse symptoms may include the following:
pain or irritation
redness
blistering may occur
- Ingestion** : Adverse symptoms may include the following:
irritation
nausea or vomiting
diarrhea

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Contains: Diethylene glycol. Activated charcoal mixture may be administered. To prepare activated charcoal mixture, suspend 50 grams activated charcoal in 400 ml of water and mix thoroughly. Administer 5 ml/kg, or 350 ml for an average adult.
- Specific treatments** : Contains: Diethylene glycol. Treat symptomatically. Contact Nutrien's 24 Hr Medical Emergency telephone number for professional support: 1-800-561-8273.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire. If necessary: Use dry chemical, CO₂, water spray (fog) or foam.
- Unsuitable extinguishing media** : None known.

Specific hazards arising from the chemical : In a fire or if heated, a pressure increase will occur and the container may burst.

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Section 5. Fire-fighting measures

- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
- Remark** : This material is not explosive. Contain and collect the water used to fight the fire for later treatment and disposal.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused adverse impacts (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

- Small spill** : Put on appropriate personal protective equipment (see Section 8). Move containers from spill area. Recover the material and use it for the intended purpose.
or
Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Put on appropriate personal protective equipment (see Section 8). Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Use appropriate equipment to put the spilled substance in a container for reuse or disposal. Recycle to process, if possible.
or
Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

- Conditions for safe storage, including any incompatibilities** : Do not store below the following temperature: 0°C (32°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Canadian Regulations Polyethylene glycol octylphenyl ether Water Diethylene glycol	None assigned. None assigned. AIHA WEEL (United States, 7/2018). TWA: 10 mg/m ³ 8 hours.
Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	AIHA WEEL (United States, 7/2018). TWA: 10 mg/m ³ 8 hours.
U.S. Federal Regulations Poly(oxy-1,2-ethanediyl), α-[(1,1,3,3-tetramethylbutyl)phenyl]-ω-hydroxy- Water 2,2' -oxybisethanol	None assigned. None assigned. AIHA WEEL (United States, 7/2018). TWA: 10 mg/m ³ 8 hours.
Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated	AIHA WEEL (United States, 7/2018). TWA: 10 mg/m ³ 8 hours.

Appropriate engineering controls : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Recommended: Contact your personal protective equipment manufacturer to verify the compatibility of the equipment for the intended purpose.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Contact your personal protective equipment manufacturer to verify the compatibility of the equipment for the intended purpose.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Section 8. Exposure controls/personal protection

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended: Contact your personal protective equipment manufacturer to verify the compatibility of the equipment for the intended purpose.

Section 9. Physical and chemical properties

Appearance

Physical state : Liquid.
Color : Colorless to light yellow.
Odor : Alcohol.
Odor threshold : Not available.
pH : 7.1
Melting point : Not available.
Boiling point : Not available.
Flash point : Closed cup: >100°C (>212°F)
Evaporation rate : Not available.
Flammability (solid, gas) : Not available.
Lower and upper explosive (flammable) limits : Not available.
Vapor pressure : Not available.
Vapor density : Not available.
Relative density : 1.075 [Water = 1]
Density : 1.075 g/cm³
Solubility : Soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water : Not available.
Auto-ignition temperature : Not available.
Decomposition temperature : Not available.
Viscosity : Not available.

Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : The product is stable.

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : Excessive heat. Store and use away from heat, sparks, open flame or any other ignition source.

Incompatible materials : Strong oxidizing materials.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Polyethylene glycol octylphenyl ether	LD50 Dermal	Rabbit	>3000 mg/kg	-
	LD50 Oral	Rat	1900 to 5000 mg/kg	-
Diethylene glycol	LD50 Dermal	Rabbit	11890 mg/kg	-
	LD50 Oral	Rat	12000 mg/kg	-

Conclusion/Summary : Harmful if swallowed.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Diethylene glycol	Eyes - Mild irritant	Rabbit	-	50 mg	-
	Skin - Mild irritant	Human	-	72 hours 112 mg l	-
	Skin - Mild irritant	Rabbit	-	500 mg	-

Conclusion/Summary

Skin : prolonged exposure: blistering may occur. May cause skin irritation.

Eyes : Causes serious eye damage.

Respiratory : No known significant effects or critical hazards.

Sensitization

Not available.

Conclusion/Summary

Skin : No known significant effects or critical hazards.

Respiratory : No known significant effects or critical hazards.

Mutagenicity

Not available.

Conclusion/Summary : No known significant effects or critical hazards.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Conclusion/Summary : No known significant effects or critical hazards.

Teratogenicity

Not available.

Conclusion/Summary : No known significant effects or critical hazards.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
Diethylene glycol	Category 2	Oral	kidneys

Aspiration hazard

Not available.

Section 11. Toxicological information

Information on the likely routes of exposure : Routes of entry anticipated: Oral, Dermal, Inhalation.

Potential acute health effects

- Eye contact** : Causes serious eye damage.
Inhalation : No known significant effects or critical hazards.
Skin contact : No known significant effects or critical hazards.
Ingestion : Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : Adverse symptoms may include the following:
 pain
 watering
 redness
- Inhalation** : No specific data.
- Skin contact** : Adverse symptoms may include the following:
 pain or irritation
 redness
 blistering may occur
- Ingestion** : Adverse symptoms may include the following:
 irritation
 nausea or vomiting
 diarrhea

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

- Potential immediate effects** : See above.
Potential delayed effects : See above.

Long term exposure

- Potential immediate effects** : See above.
Potential delayed effects : See below.

Potential chronic health effects

- Conclusion/Summary** : May cause damage to organs through prolonged or repeated exposure if swallowed. (kidneys)
- General** : See above.
- Carcinogenicity** : No known significant effects or critical hazards.
Mutagenicity : No known significant effects or critical hazards.
Teratogenicity : No known significant effects or critical hazards.
Developmental effects : No known significant effects or critical hazards.
Fertility effects : No known significant effects or critical hazards.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Polyethylene glycol octylphenyl ether	Acute EC50 18 to 26 mg/l	Daphnia	48 hours
Diethylene glycol	Acute LC50 4 to 8.9 mg/l Acute LC50 75200000 µg/l Fresh water	Fish Fish - Pimephales promelas	96 hours 96 hours

Conclusion/Summary : Very low acute toxicity to fish.

Section 12. Ecological information

Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
Polyethylene glycol octylphenyl ether	OECD 301B Ready Biodegradability - CO ₂ Evolution Test	>60 % - 28 days	-	-
Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability	
Polyethylene glycol octylphenyl ether	-	-	Readily	

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
Polyethylene glycol octylphenyl ether	2.7	15	low
Diethylene glycol	-1.98	100	low

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	TDG Classification	DOT Classification	Mexico Classification	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.

Section 14. Transport information

Additional information	-	-	-	-	-
------------------------	---	---	---	---	---

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL and the IBC Code : Not available.

Section 15. Regulatory information

Canadian lists

Canadian NPRI : The following components are listed: octylphenol and its ethoxylates

CEPA Toxic substances : None of the components are listed.

Canada inventory : All components are listed or exempted.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : All components are listed or exempted.

China : All components are listed or exempted.

Europe : Not determined.

Japan : **Japan inventory (ENCS):** All components are listed or exempted.
Japan inventory (ISHL): Not determined.

Malaysia : Not determined

New Zealand : All components are listed or exempted.

Philippines : All components are listed or exempted.

Republic of Korea : All components are listed or exempted.

Taiwan : All components are listed or exempted.

Turkey : Not determined.

U.S. Federal Regulations : **TSCA 8(a) PAIR:** Poly(oxy-1,2-ethanediyl), α -[(1,1,3,3-tetramethylbutyl)phenyl]- ω -hydroxy-
TSCA 8(a) CDR Exempt/Partial exemption: Not determined
TSCA 8(b) Active inventory: All components are listed or exempted.

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Not listed

Section 15. Regulatory information

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304 Composition/information on ingredients

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : Immediate (acute) health hazard
Delayed (chronic) health hazard.

Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard.
Polyethylene glycol octylphenyl ether 2,2'-oxybisethanol	≥50 - ≤75 ≥10 - ≤25	No. No.	No. No.	No. No.	Yes. Yes.	No. Yes.

State regulations

Massachusetts : None of the components are listed.

New York : None of the components are listed.

New Jersey : None of the components are listed.

Pennsylvania : The following components are listed: ETHANOL, 2,2'-OXYBIS-

California Prop. 65 : This product does not require a Safe Harbor warning under California Prop. 65.

Section 16. Other information

History

Date of issue/Date of revision : 7/16/2021

Date of previous issue : No previous validation

Version : 1

🔍 Indicates information that has changed from previously issued version.

Key to abbreviations

: ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
UN = United Nations
HPR = Hazardous Products Regulations

Procedure used to derive the classification

Section 16. Other information

Classification	Justification
ACUTE TOXICITY (oral) - Category 4 SERIOUS EYE DAMAGE - Category 1 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (kidneys) - Category 2	Calculation method Calculation method Calculation method

- References**
- : Transportation of Dangerous Goods Act and Clear Language Regulations, current edition at time of SDS preparation, Transport Canada;
 - Hazardous Products Act and Regulations, current revision at time of SDS preparation, Health Canada;
 - Domestic Substances List, current revision at time of SDS preparation, Environment Canada;
 - 29 CFR Part 1910, current revision at time of SDS preparation, U.S. Occupational Safety and Health Administration;
 - 40 CFR Parts 1-799, current revision at time of SDS preparation, U.S. Environmental Protection Agency;
 - 49 CFR Parts 1-199, current revision at time of SDS preparation, U.S. Department of Transport;
 - Mexican Official Standard NOM-018-STPS-2015, Harmonised System for the Identification and Communication of Hazards and Risks by Hazardous Chemicals in the Workplace;
 - NORMA Oficial Mexicana NOM-010-STPS-2014, Agentes químicos contaminantes del ambiente laboral-Reconocimiento, evaluación y control.
 - Mexican Official Standard NOM-002-SCT / 2011, List of the most commonly transported hazardous substances and materials;
 - Threshold Limit Values for Chemical Substances, current edition at time of SDS preparation, American Conference of Governmental Industrial Hygienists;
 - NFPA 400, National Fire Codes, National Fire Protection Association, current edition at time of SDS preparation;
 - NFPA 704, National Fire Codes, National Fire Protection Association, current edition at time of SDS preparation;
 - Corrosion Data Survey, Sixth Edition, 1985, National Association of Corrosion Engineers;
 - ERG 2016, Emergency Response Guidebook, U.S. Department of Transport, Transport Canada, and the Secretariat of Transportation and Communications of Mexico
 - Hazardous Substances Data Bank, current revision at time of SDS preparation, National Library of Medicine, Bethesda, Maryland
 - Integrated Risk Information System, current revision at time of SDS preparation, U. S. Environmental Protection Agency, Washington, D.C.
 - Pocket Guide to Chemical Hazards, current revision at time of SDS preparation, National Institute for Occupational Safety and Health, Cincinnati, Ohio ;
 - Agency for Toxic Substances and Disease Registry Databank, current revision at time of SDS preparation, U.S. Department of Health and Human Services, Atlanta, Georgia
 - National Toxicology Program, Report on Carcinogens, Division of the National Institute of Environmental Health Sciences, Research Triangle Park, North Carolina.
 - Registry of Toxic Effects of Chemical Substances. National Institute for Occupational Safety and Health, Cincinnati, Ohio
 - California Code of Regulations, Title 27, Div 4, Chapter 1, Proposition 65 Aug 30, 2018 rev and current updates

Notice to reader

Supply chain partners must ensure they pass this SDS, and all other relevant safety information to their customers.

DISCLAIMER AND LIMITATION OF LIABILITY

The information and recommendations contained in this Safety Data Sheet ("SDS") relate only to the specific material referred to herein (the "Material") and do not relate to the use of such Material in combination with any other material or process. The information and recommendations contained herein are believed to be current and correct as of the date of this SDS. HOWEVER, THE INFORMATION AND RECOMMENDATIONS

Section 16. Other information

ARE PRESENTED WITHOUT WARRANTY, REPRESENTATION OR LICENSE OF ANY KIND, EXPRESS OR IMPLIED, WITH RESPECT TO THEIR ACCURACY, CORRECTNESS OR COMPLETENESS, AND THE SELLER, SUPPLIER AND MANUFACTURER OF THE MATERIAL AND THEIR RESPECTIVE AFFILIATES (COLLECTIVELY, THE "SUPPLIER") DISCLAIM ALL LIABILITY FOR RELIANCE ON SUCH INFORMATION AND RECOMMENDATIONS. This SDS is not a guarantee of safety. A buyer or user of the Material (a "Recipient") is responsible for ensuring that it has all current information necessary to safely use the Material for its specific purpose.

FURTHERMORE, THE RECIPIENT ASSUMES ALL RISK IN CONNECTION WITH THE USE OF THE MATERIAL. THE RECIPIENT ASSUMES ALL RESPONSIBILITY FOR ENSURING THE MATERIAL IS USED IN A SAFE MANNER IN COMPLIANCE WITH APPLICABLE ENVIRONMENTAL, HEALTH, SAFETY AND SECURITY LAWS, POLICIES AND GUIDELINES. THE SUPPLIER DOES NOT WARRANT THE MERCHANTABILITY OF THE MATERIAL OR THE FITNESS OF THE MATERIAL FOR ANY PARTICULAR USE AND ASSUMES NO RESPONSIBILITY FOR INJURY OR DAMAGE CAUSED DIRECTLY OR INDIRECTLY BY OR RELATED TO THE USE OF THE MATERIAL.