
VALIDTM

DEPOSITION AID DRIFT REDUCTION AGENT ANTIFOAM-DEFOAMER

GUARANTEE:

Lecithin, emulsifiers, glycols and defoamer.....100%

CAUTION

Keep Out of Reach of Children

Net Contents: 3.785 L

SHAKE WELL BEFORE USE.

CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wear chemical resistant gloves.

FIRST AID

If swallowed

Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

General: **VALID** is a non-foaming and shear tolerant drift reduction agent containing suspended antifoam- defoamer. **VALID** may be used as a drift reduction adjuvant to enhance deposition, retention, and control spray droplet size of agricultural and non-crop chemicals. **VALID** improves deposition by increasing initial adhesion of droplets to the surface of hard to wet plants (reducing bounce and run-off). **VALID** will not increase viscosity of spray solution, reduce the flow rate or affect the angle of the spray nozzle. **VALID** reduces drift by producing a more uniform droplet size and a more uniform spray pattern. The degree of drift hazard varies with the type of pesticide and application conditions. Common sense and sound application technology must be followed when spraying pesticides. **VALID** will reduce, but not eliminate drift. **VALID** is compatible with most pesticides formulations including water-soluble, flowable, wettable powders and formulations containing boron. Application may be by ground or air.

Directions for Use:

VALID may be used on and has demonstrated excellent plant safety on a wide variety of crops.

General Use:

The antifoamer-defoamer is suspended in **VALID** and may separate during storage but is easily re-suspended by shaking. **VALID** should be added to the spray tank before adding pesticides to prevent foaming.

Application Rate: 125 mL per 100 Litres of spray mixture.

Environmental Hazards: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash-waters.

Storage: Store in a cool, dry place. Store in original container. Keep tightly closed. Do not reuse empty container. Product will become thicker at cold temperatures but effectiveness of the product will not be affected. Warm product before use.

Disposal:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. CROP INJURY, INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF LOVELAND PRODUCTS CANADA INC., THE MANUFACTURER OR SELLER. IN NO CASE SHALL LOVELAND PRODUCTS CANADA INC., THE MANUFACTURER OR SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER. EXCEPT AS EXPRESSLY PROVIDED HEREIN, LOVELAND PRODUCTS CANADA INC., THE MANUFACTURER OR SELLER MAKES NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND LOVELAND PRODUCT CANADA INC.'S, THE MANUFACTURER'S OR SELLER'S TOTAL LIABILITY, SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

LOVELAND PRODUCTS CANADA INC.

789 Donnybrook Drive
Dorchester, Ontario
N0L 1G5
1-800-328-4678

**IN CASE OF EMERGENCY DUE TO A MAJOR SPILL, FIRE OR POISONING INVOLVING THIS PRODUCT
CALL DAY OR NIGHT, 1-800-561-8273**

SAFETY DATA SHEET

VALID



Section 1. Identification

Product identifier : VALID
SDS # : 226
Product type : Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses
Deposition aid. Drift reduction agent. Antifoam-defoamer.
Uses advised against
Not available.

Supplier's details : Loveland Products Canada Inc.
789 Donnybrook Drive
Dorchester, Ontario N0L 1G5
Telephone no.: : 1-800-328-4678 (Customer Service)
Email : retail-SDS2@nutrien.com

Emergency telephone number (with hours of operation) : CHEMTREC: 1-800-424-9300
Medical: 1-800-561-8273
(24 h)

Section 2. Hazard identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture : ACUTE TOXICITY (oral) - Category 4
SERIOUS EYE DAMAGE - Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger
Hazard statements : Harmful if swallowed.
Causes serious eye damage.

Precautionary statements

General : Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention : Wear eye or face protection. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.
Response : IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. Rinse mouth. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
Storage : Not applicable.

Section 2. Hazard identification

Disposal : Dispose of contents and container in accordance with all local, regional, national and international regulations.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	% (w/w)	CAS number
undecan-1-ol, ethoxylated	20 - 25	34398-01-1
diethylene glycol	10 - 30	111-46-6

The specific chemical identity and / or exact percentage (concentration) of the composition has been withheld as a trade secret.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-aid measures

Description of necessary first aid measures

- Eye contact** : CORROSIVE. Begin eye irrigation immediately. All eye exposures require medical evaluation following decontamination. Immediately rinse eyes with large quantities of water or saline for a minimum 30 minutes, longer irrigation time is preferred if possible. If possible, remove contact lenses being careful not to cause additional eye damage. If the initial water supply is insufficient, keep the affected area wet with a moist cloth and transfer the person to the nearest place where rinsing can be continued for the recommended length of time. Call an ambulance for transport to hospital. Continue eye irrigation during transport. For additional advice call the medical emergency number on this safety data sheet or your poison center or doctor.
- Inhalation** : Remove person to fresh air and keep comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Never give anything by mouth to an unconscious person. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : Corrosive to eyes. Causes serious eye damage.

Section 4. First-aid measures

- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : Causes mild skin irritation.
- Ingestion** : Harmful if swallowed.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:
pain
watering
redness
- Inhalation** : No specific data.
- Skin contact** : Adverse symptoms may include the following:
irritation
redness
- Ingestion** : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Specific treatments** : Improved outcome requires prolonged rinsing or soaking with water in order to extract corrosive ions that have penetrated through the stratum corneum. Expert opinion indicates an extended duration of rinsing is required to remove corrosive chemicals - 60 minutes for strong alkalis, and 30 minutes for other corrosive substances. Water should be maintained at a comfortable temperature. It may be necessary to delay transport to emergency care facilities in order to ensure 30 or 60 minutes of rinsing time. However, transporting the patient may be necessary depending on the condition of the patient or the availability of a water supply. If transport is necessary, rinsing the affected area should continue, if possible, during transport.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Decontamination measures may be necessary. Personnel and equipment must be checked and decontaminated prior to leaving the area.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire. Use dry chemical, CO₂, alcohol-resistant foam or water spray (fog).
- Unsuitable extinguishing media** : None known.

Specific hazards arising from the chemical : In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
nitrogen oxides
phosphorus oxides

Section 5. Fire-fighting measures

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Contain and collect the water used to fight the fire for later treatment and disposal.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
- Remark** : Contain and collect the water used to fight the fire for later treatment and disposal.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused adverse impacts (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. Use appropriate equipment to put the spilled substance in a container for reuse or disposal.
- Large spill** : Stop leak if without risk. Approach release from upwind. Put on appropriate personal protective equipment (see Section 8). Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Use appropriate equipment to put the spilled substance in a container for reuse or disposal. Recycle to process, if possible.
or
Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

- Protective measures** : Read label before use. Apply this product only as specified on the label. Do not handle until all safety precautions have been read and understood. Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not ingest. Do not breathe vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Section 7. Handling and storage

- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
diethylene glycol	AIHA WEEL (United States, 7/2020). TWA: 10 mg/m ³ 8 hours.

- Appropriate engineering controls** : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Contact your personal protective equipment manufacturer to verify the compatibility of the equipment for the intended purpose.

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Section 8. Exposure controls/personal protection

- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
- For U.S. work sites where respiratory protection is required, ensure that a respiratory protection program meeting 29 CFR 1910.134 requirements is in place.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

- Physical state** : Liquid.
- Color** : Brown.
- Odor** : Bland. [Slight]
- Odor threshold** : Not available.
- pH** : 5 to 7 [Conc. (% w/w): 1%]
- Melting point/freezing point** : Not available.
- Boiling point, initial boiling point, and boiling range** : Not available.
- Flash point** : >100°C (>212°F)
- Evaporation rate** : Not available.
- Flammability** : Not available.
- Lower and upper explosion limit/flammability limit** : Not available.
- Vapor pressure** : Not available.
- Relative vapor density** : Not available.
- Relative density** : 0.985 to 1.005
- Solubility in water** : Dispersible.
- Partition coefficient: n-octanol/water** : Not applicable.
- Auto-ignition temperature** : Not available.
- Decomposition temperature** : Not available.
- Viscosity** : Not available.
- Particle characteristics**
- Median particle size** : Not applicable.

Section 10. Stability and reactivity

- Reactivity** : No specific test data related to reactivity available for this product or its ingredients.
- Chemical stability** : The product is stable.
- Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- Conditions to avoid** : Extremes of temperature and direct sunlight.
- Incompatible materials** : Strong oxidizing materials, acids and alkalis.
- Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
diethylene glycol	LD50 Dermal	Rabbit	11890 mg/kg	-
	LD50 Oral	Rat	12000 mg/kg	-

Conclusion/Summary : Harmful if swallowed.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
diethylene glycol	Skin - Mild irritant	Human	-	72 hours 112 mg l	-
	Skin - Mild irritant	Rabbit	-	500 mg	-

Conclusion/Summary

- Skin** : Causes mild skin irritation.
- Eyes** : Corrosive to eyes. Causes serious eye damage.
- Respiratory** : No known significant effects or critical hazards.

Sensitization

Not available.

Conclusion/Summary

- Skin** : No known significant effects or critical hazards.
- Respiratory** : No known significant effects or critical hazards.

Mutagenicity

Not available.

Conclusion/Summary : No known significant effects or critical hazards.

Carcinogenicity

Not available.

Conclusion/Summary : No known significant effects or critical hazards. Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

Reproductive toxicity

Not available.

Section 11. Toxicological information

Conclusion/Summary : No known significant effects or critical hazards.

Teratogenicity

Not available.

Conclusion/Summary : No known significant effects or critical hazards.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : Dermal contact. Eye contact. Inhalation. Ingestion.

Potential acute health effects

Eye contact : Corrosive to eyes. Causes serious eye damage.

Inhalation : No known significant effects or critical hazards.

Skin contact : Causes mild skin irritation.

Ingestion : Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:
pain
watering
redness

Inhalation : No specific data.

Skin contact : Adverse symptoms may include the following:
irritation
redness

Ingestion : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : See above.

Potential delayed effects : See below.

Long term exposure

Potential immediate effects : See above.

Potential delayed effects : See below.

Potential chronic health effects

Not available.

Conclusion/Summary : No known significant effects or critical hazards.

General : No known significant effects or critical hazards.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

VALID

Section 11. Toxicological information

Reproductive toxicity : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
VALID	1457.7	N/A	N/A	N/A	N/A
undecan-1-ol, ethoxylated	500	2500	N/A	N/A	N/A
diethylene glycol	500	11890	N/A	N/A	N/A

Other information : Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
undecan-1-ol, ethoxylated	Acute EC50 2100 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 3900 µg/l Fresh water	Fish - Pimephales promelas	96 hours
diethylene glycol	Acute LC50 75200000 µg/l Fresh water	Fish - Pimephales promelas	96 hours

Conclusion/Summary : Harmful to aquatic life. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash-waters. Apply this product only as specified on the label.

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
diethylene glycol	-1.98	100	low

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank. Follow provincial instruction for any required additional cleaning of the container prior to its disposal. Do not reuse containers for any purpose. Make the empty container unsuitable for further use. If there is no container collection site in your area, dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Do not contaminate water, food, or feed by storage or disposal.

Section 14. Transport information

	TDG	DOT	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-
Transport hazard class(es)	-	-	-	-
Packing group	-	-	-	-
Marine pollutant	No.	No.	No.	No.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 15. Regulatory information

Canadian lists

Canadian NPRI : None of the components are listed.

CEPA Toxic substances : None of the components are listed.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : Not determined.

Canada : All components are listed or exempted.

China : Not determined.

Europe : Not determined.

Japan : **Japan inventory (CSCL):** Not determined.
Japan inventory (ISHL): Not determined.

New Zealand : Not determined.

Philippines : Not determined.

Section 15. Regulatory information

Republic of Korea	: Not determined.
Taiwan	: Not determined.
Thailand	: Not determined.
Turkey	: Not determined.
United States	: All components are active or exempted.
Viet Nam	: Not determined.
U.S. Federal regulations	: TSCA 8(a) CDR Exempt/Partial exemption : Not determined

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) : Listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 311/312

Classification : ACUTE TOXICITY (oral) - Category 4
SERIOUS EYE DAMAGE - Category 1

Composition/information on ingredients

Name	%	Classification
undecan-1-ol, ethoxylated	20 - 25	ACUTE TOXICITY (oral) - Category 4 SERIOUS EYE DAMAGE - Category 1
diethylene glycol	10 - 30	ACUTE TOXICITY (oral) - Category 4 EYE IRRITATION - Category 2B

State regulations

Massachusetts : None of the components are listed.

New York : None of the components are listed.

New Jersey : None of the components are listed.

Pennsylvania : The following components are listed: 2,2' -oxybisethanol

California Prop. 65

⚠ WARNING: This product can expose you to chemicals including 1,4-Dioxane, which is known to the State of California to cause cancer, and Ethylene Glycol and Ethylene glycol monomethyl ether, which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Section 16. Other information

History

Date of issue/Date of revision : 6/29/2022

Date of previous issue : 11/27/2018

Version : 9

Key to abbreviations

- : ATE = Acute Toxicity Estimate
- : BCF = Bioconcentration Factor
- : GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- : HPR = Hazardous Products Regulations
- : IATA = International Air Transport Association
- : IBC = Intermediate Bulk Container
- : IMDG = International Maritime Dangerous Goods
- : LogPow = logarithm of the octanol/water partition coefficient
- : MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
- : N/A = Not available
- : SGG = Segregation Group
- : UN = United Nations

Procedure used to derive the classification

Classification	Justification
ACUTE TOXICITY (oral) - Category 4 SERIOUS EYE DAMAGE - Category 1	Calculation method Calculation method

✔ Indicates information that has changed from previously issued version.

Notice to reader

Supply chain partners must ensure they pass this SDS, and all other relevant safety information to their customers.

DISCLAIMER AND LIMITATION OF LIABILITY

The information and recommendations contained in this Safety Data Sheet ("SDS") relate only to the specific material referred to herein (the "Material") and do not relate to the use of such Material in combination with any other material or process. The information and recommendations contained herein are believed to be current and correct as of the date of this SDS. **HOWEVER, THE INFORMATION AND RECOMMENDATIONS ARE PRESENTED WITHOUT WARRANTY, REPRESENTATION OR LICENSE OF ANY KIND, EXPRESS OR IMPLIED, WITH RESPECT TO THEIR ACCURACY, CORRECTNESS OR COMPLETENESS, AND THE SELLER, SUPPLIER AND MANUFACTURER OF THE MATERIAL AND THEIR RESPECTIVE AFFILIATES (COLLECTIVELY, THE "SUPPLIER") DISCLAIM ALL LIABILITY FOR RELIANCE ON SUCH INFORMATION AND RECOMMENDATIONS.** This SDS is not a guarantee of safety. A buyer or user of the Material (a "Recipient") is responsible for ensuring that it has all current information necessary to safely use the Material for its specific purpose.

FURTHERMORE, THE RECIPIENT ASSUMES ALL RISK IN CONNECTION WITH THE USE OF THE MATERIAL. THE RECIPIENT ASSUMES ALL RESPONSIBILITY FOR ENSURING THE MATERIAL IS USED IN A SAFE MANNER IN COMPLIANCE WITH APPLICABLE ENVIRONMENTAL, HEALTH, SAFETY AND SECURITY LAWS, POLICIES AND GUIDELINES. THE SUPPLIER DOES NOT WARRANT THE MERCHANTABILITY OF THE MATERIAL OR THE FITNESS OF THE MATERIAL FOR ANY PARTICULAR USE AND ASSUMES NO RESPONSIBILITY FOR INJURY OR DAMAGE CAUSED DIRECTLY OR INDIRECTLY BY OR RELATED TO THE USE OF THE MATERIAL.

FICHE DE DONNÉES DE SÉCURITÉ



VALID

Section 1. Identification

Identificateur de produit : VALID
n° SDS : 226
Type de produit : Liquide.

Utilisations pertinentes identifiées de la substance ou du mélange et utilisations non recommandées

Utilisations identifiées

Auxiliaire de deposition. Agent de réduction de la dérive. Antimoussant-démoussant.

Utilisations non recommandées

Non disponible.

Données relatives au fournisseur : Loveland Products Canada Inc.
789 Donnybrook Drive
Dorchester, Ontario N0L 1G5

No de téléphone: : 1-800-328-4678 (Représentant du Service à la Clientèle)

Courriel : retail-SDS2@nutrien.com

Numéro de téléphone à composer en cas d'urgence (indiquer les heures de service) : CHEMTREC: 1-800-424-9300
Médicale: 1-800-561-8273
(24 h)

Section 2. Identification des dangers

Statut OSHA/HCS : Ce produit est considéré dangereux selon la norme OSHA sur la communication de renseignements à l'égard des matières dangereuses (29 CFR 1910.1200).

Classement de la substance ou du mélange : TOXICITÉ AIGUË (orale) - Catégorie 4
LÉSIONS OCULAIRES GRAVES - Catégorie 1

Éléments d'étiquetage SGH

Pictogrammes de danger :



Mention d'avertissement : Danger

Mentions de danger : Nocif en cas d'ingestion.
Provoque de graves lésions des yeux.

Conseils de prudence

Généralités : Lire l'étiquette avant utilisation. Tenir hors de portée des enfants. En cas de consultation d'un médecin, garder à disposition le récipient ou l'étiquette.

Prévention : Porter une protection oculaire ou faciale. Ne pas manger, boire ou fumer en manipulant ce produit. Se laver soigneusement après manipulation.

Section 2. Identification des dangers

- Intervention** : EN CAS D'INGESTION: Appeler un CENTRE ANTIPOISON ou un médecin en cas de malaise. Rincer la bouche. EN CAS DE CONTACT AVEC LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles de contact si la victime en porte et si elles peuvent être facilement enlevées. Continuer à rincer. Appeler immédiatement un CENTRE ANTIPOISON ou un médecin.
- Stockage** : Non applicable.
- Élimination** : Éliminer le contenu et le récipient conformément à toutes les réglementations locales, régionales, nationales et internationales.

Section 3. Composition/information sur les ingrédients

Substance/préparation : Mélange

Nom des ingrédients	% (p/p)	Numéro CAS
undécane-1-ol, éthoxylé	20 - 25	34398-01-1
diéthylène glycol	10 - 30	111-46-6

L'identité chimique spécifique et/ou le pourcentage exact (de concentration) de la composition a été retenu comme un secret commercial.

Le produit ne contient aucun autre ingrédient exigeant une déclaration dans cette section, selon les connaissances actuelles du fournisseur et les concentrations de classification en vigueur.

Les limites d'exposition professionnelle, quand elles sont disponibles, sont énumérées à la section 8.

Section 4. Premiers soins

Description des premiers soins nécessaires

- Contact avec les yeux** : CORROSIF. Commencer immédiatement irrigation des yeux. Toute exposition des yeux à la solution nécessite une évaluation médicale après décontamination. Rincer immédiatement les yeux avec de grandes quantités d'eau ou de sérum physiologique pour un minimum de 30 minutes, plus le temps d'irrigation est préférable, si possible, en raison de la réaction chimique qui se produit - voir les notes du médecin ci-dessous. Si possible, enlever les lentilles de contact en faisant attention à ne pas provoquer des lésions oculaires supplémentaires. Si l'approvisionnement en eau initiale est insuffisante, garder la zone affectée humide avec un chiffon humide et transférer la personne à l'endroit le plus proche où le rinçage peut être poursuivi pendant la durée recommandée de temps. Appelez une ambulance pour le transport à l'hôpital. Continuer irrigation des yeux pendant le transport. Pour des conseils supplémentaires appeler le numéro d'urgence médicale sur cette fiche de données de sécurité ou votre centre antipoison ou un médecin.
- Inhalation** : Transporter la personne à l'extérieur et la maintenir dans une position où elle peut confortablement respirer. En l'absence de respiration, en cas de respiration irrégulière ou d'arrêt respiratoire, il faut que du personnel qualifié administre la respiration artificielle ou de l'oxygène. Le bouche-à-bouche peut se révéler dangereux pour la personne portant secours. Consulter un médecin si les effets nocifs persistent ou sont graves. Si la personne est inconsciente, la placer en position de rétablissement et consulter un médecin immédiatement. Assurez-vous d'une bonne circulation d'air. Détacher tout ce qui pourrait être serré, comme un col, une cravate, une ceinture ou un ceinturon. En cas d'inhalation de produits de décomposition dans un feu, des symptômes peuvent se manifester à retardement. La personne exposée peut nécessiter une surveillance médicale pendant 48 heures.
- Contact avec la peau** : Rincer la peau contaminée avec beaucoup d'eau. Retirer les vêtements et les chaussures contaminés. Consulter un médecin si des symptômes se développent. Laver les vêtements avant de les réutiliser. Laver soigneusement les chaussures avant de les remettre.

Section 4. Premiers soins

Ingestion : Laver la bouche avec de l'eau. Enlever les prothèses dentaires s'il y a lieu. En cas d'ingestion de la matière et si la personne exposée est consciente, lui donner de petites quantités d'eau à boire. Arrêter si la personne se sent malade car des vomissements peuvent être dangereux. Ne rien faire ingérer à une personne inconsciente. Ne pas faire vomir sauf indication contraire émanant du personnel médical. En cas de vomissements, garder la tête basse afin d'éviter la pénétration du vomi dans les poumons. Consulter un médecin. Si nécessaire, appeler un centre antipoison ou un médecin. Si la personne est inconsciente, la placer en position de rétablissement et consulter un médecin immédiatement. Assurez-vous d'une bonne circulation d'air. Détacher tout ce qui pourrait être serré, comme un col, une cravate, une ceinture ou un ceinturon.

Symptômes et effets les plus importants, qu'ils soient aigus ou retardés

Effets aigus potentiels sur la santé

Contact avec les yeux : Corrosif pour les yeux. Provoque de graves lésions des yeux.
Inhalation : Aucun effet important ou danger critique connu.
Contact avec la peau : Provoque une légère irritation cutanée.
Ingestion : Nocif en cas d'ingestion.

Signes/symptômes de surexposition

Contact avec les yeux : Les symptômes néfastes peuvent éventuellement comprendre ce qui suit:
douleur
larmolement
rougeur

Inhalation : Aucune donnée spécifique.

Contact avec la peau : Les symptômes néfastes peuvent éventuellement comprendre ce qui suit:
irritation
rougeur

Ingestion : Aucune donnée spécifique.

Mention de la nécessité d'une prise en charge médicale immédiate ou d'un traitement spécial, si nécessaire

Note au médecin traitant : En cas d'inhalation de produits de décomposition dans un feu, des symptômes peuvent se manifester à retardement. La personne exposée peut nécessiter une surveillance médicale pendant 48 heures.

Traitements particuliers : Amélioration du résultat nécessite un rinçage prolongé ou trempage avec de l'eau afin d'en extraire des ions corrosifs qui ont pénétré à travers la couche cornée. Opinion d'experts indique une durée prolongée de rinçage est nécessaire pour éliminer les produits chimiques corrosifs - 60 minutes pour les alcalis forts et 30 minutes pour d'autres substances corrosives. L'eau doit être maintenu à une température confortable. Il peut être nécessaire de transporter à l'hôpital plus tard pour assurer 30 ou 60 minutes de rinçage. Le transport du patient peut se avérer nécessaire en fonction de l'état du patient ou de la disponibilité d'une alimentation en eau. Si le transport est nécessaire, rincer la zone affectée devrait se poursuivre pendant le transport.

Protection des sauveteurs : Ne prendre aucune mesure impliquant un risque personnel ou en l'absence de formation adéquate. Le bouche-à-bouche peut se révéler dangereux pour la personne portant secours. Des mesures de décontamination peuvent être nécessaires. Le personnel et le matériel doivent être vérifiés et décontaminés avant de quitter la zone.

Voir Information toxicologique (section 11)

Section 5. Mesures à prendre en cas d'incendie

Moyens d'extinction

Agents extincteurs appropriés : Employer un agent extincteur qui convient aux feux environnants. Utiliser des poudres chimiques sèches, du CO₂, une mousse antialcool ou de l'eau vaporisée (brouillard).

Agents extincteurs inappropriés : Aucun connu.

Dangers spécifiques du produit : Si ce produit est chauffé ou se trouve au contact du feu, une augmentation de pression se produit et le conteneur peut éclater.

Produit de décomposition thermique dangereux : Les produits de décomposition peuvent éventuellement comprendre les substances suivantes:
dioxyde de carbone
Monoxyde de carbone
oxydes d'azote
oxydes de phosphore

Mesures spéciales de protection pour les pompiers : En présence d'incendie, circonscrire rapidement le site en évacuant toute personne se trouvant près des lieux de l'accident. Ne prendre aucune mesure impliquant un risque personnel ou en l'absence de formation adéquate. Contenez et recueillez l'eau combattant le feu pour traitement plus en retard et disposition.

Équipement de protection spécial pour le personnel préposé à la lutte contre le feu : Il est impératif que les pompiers portent un équipement de protection adéquat, ainsi qu'un appareil respiratoire autonome (ARA) équipé d'un masque couvre-visage à pression positive.

Remarque : Contenez et recueillez l'eau combattant le feu pour traitement plus en retard et disposition.

Section 6. Mesures à prendre en cas de déversement accidentel

Précautions individuelles, équipements de protection et mesures d'urgence

Pour le personnel non affecté aux urgences : Ne prendre aucune mesure impliquant un risque personnel ou en l'absence de formation adéquate. Évacuer les environs. Empêcher l'accès aux personnes gênantes ou non protégées. Ne pas toucher ni marcher dans le produit répandu. Éviter de respirer les vapeurs ou le brouillard. Assurer une ventilation adéquate. Porter un appareil respiratoire approprié lorsque le système de ventilation est inadéquat. Porter un équipement de protection individuelle approprié.

Intervenants en cas d'urgence : Si des vêtements spécialisés sont requis pour traiter un déversement, prendre note de tout renseignement donné à la Section 8 sur les matériaux appropriés ou non. Consultez également les renseignements sous « Pour le personnel non affecté aux urgences ».

Précautions environnementales : Évitez la dispersion des matériaux déversés, ainsi que leur écoulement et tout contact avec le sol, les voies navigables, les drains et les égouts. Avertir les autorités compétentes si le produit a engendré des effets néfastes (égouts, voies navigables, sol ou air).

Méthodes et matériaux pour le confinement et le nettoyage

Section 6. Mesures à prendre en cas de déversement accidentel

- Petit déversement** : Arrêter la fuite si cela ne présente aucun risque. Écarter les contenants (ou récipients) de la zone de déversement. Diluer avec de l'eau et éponger si la matière est soluble dans l'eau. Sinon, ou si la matière est insoluble dans l'eau, absorber avec un matériau sec inerte et placer dans un conteneur à déchets approprié. Éliminer par l'intermédiaire d'une entreprise spécialisée autorisée de collecte des déchets. Utiliser l'équipement approprié de placer la substance déversée dans un récipient pour une réutilisation ou d'élimination.
- Grand déversement** : Arrêter la fuite si cela ne présente aucun risque. S'approcher des émanations dans la même direction que le vent. Revêtir un équipement de protection individuelle approprié (voir Section 8). Écarter les contenants de la zone de déversement. Empêcher la pénétration dans les égoûts, les cours d'eau, les sous-sol ou les zones confinées. Utiliser l'équipement approprié de placer la substance déversée dans un récipient pour une réutilisation ou d'élimination. Recyclez dans le procédé, si possible.
ou
Éliminer par l'intermédiaire d'une entreprise spécialisée autorisée de collecte des déchets. Nota : Voir Section 1 pour de l'information relative aux urgences et voir Section 13 pour l'élimination des déchets.

Section 7. Manutention et stockage

Précautions relatives à la sûreté en matière de manutention

- Mesures de protection** : Lire l'étiquette avant utilisation. Appliquer ce produit uniquement selon les directives de l'étiquette. Ne pas manipuler avant d'avoir lu et compris toutes les précautions de sécurité. Revêtir un équipement de protection individuelle approprié (voir Section 8). Éviter tout contact avec les yeux, la peau et les vêtements. Ne pas ingérer. Éviter de respirer les vapeurs ou le brouillard. Si au cours d'une utilisation normale, la substance présente un danger respiratoire, une ventilation adéquate ou le port d'un appareil respiratoire est obligatoire. Garder dans le conteneur d'origine ou dans un autre conteneur de substitution homologué fabriqué à partir d'un matériau compatible et tenu hermétiquement clos lorsqu'il n'est pas utilisé. Les contenants (ou récipients) vides retiennent des résidus de produit et peuvent présenter un danger. Ne pas réutiliser ce contenant (ou récipient).
- Conseils sur l'hygiène générale au travail** : Il est interdit de manger, boire ou fumer dans les endroits où ce produit est manipulé, entreposé ou traité. Les personnes travaillant avec ce produit devraient se laver les mains et la figure avant de manger, boire ou fumer. Retirer les vêtements et l'équipement de protection contaminés avant de pénétrer dans des aires de repas. Consulter également la Section 8 pour d'autres renseignements sur les mesures d'hygiène.
- Conditions de sûreté en matière de stockage, y compris les incompatibilités** : Entreposer conformément à la réglementation locale. Entreposer dans le contenant original à l'abri de la lumière solaire, dans un endroit sec, frais et bien ventilé, à l'écart des substances incompatibles (voir la Section 10), de la nourriture et de la boisson. Garder sous clef. Garder le récipient hermétiquement fermé lorsque le produit n'est pas utilisé. Les récipients ouverts doivent être refermés avec soin et maintenus en position verticale afin d'éviter les fuites. Ne pas stocker dans des contenants (ou récipients) non étiquetés. Utiliser un récipient approprié pour éviter toute contamination du milieu ambiant.

Section 8. Contrôle de l'exposition/protection individuelle

Paramètres de contrôle

Limites d'exposition professionnelle

Nom des ingrédients	Limites d'exposition
diéthylène glycol	AIHA WEEL (États-Unis, 7/2020). TWA: 10 mg/m ³ 8 heures.

Contrôles d'ingénierie appropriés

- : Si les opérations des utilisateurs génèrent de la poussière, des fumées, des gaz, des vapeurs ou du brouillard, utilisez des enceintes fermées, une ventilation à la source par aspiration ou d'autres d'autres systèmes de contrôle automatique intégrés pour maintenir l'exposition des travailleurs aux contaminants atmosphériques en dessous des limites recommandées ou légales.

Contrôle de l'action des agents d'environnement

- : Il importe de tester les émissions provenant des systèmes d'aération et du matériel de fabrication pour vous assurer qu'elles sont conformes aux exigences de la législation sur la protection de l'environnement. Dans certains cas, il sera nécessaire d'équiper le matériel de fabrication d'un épurateur de gaz ou d'un filtre ou de le modifier techniquement afin de réduire les émissions à des niveaux acceptables.

Mesures de protection individuelle

Contactez votre fabricant d'équipement de protection pour vérifier la compatibilité de l'équipement pour l'usage prévu.

Mesures d'hygiène

- : Après manipulation de produits chimiques, lavez-vous les mains, les avant-bras et le visage avec soin avant de manger, de fumer, d'aller aux toilettes et une fois votre travail terminé. Utiliser les techniques appropriées pour retirer les vêtements contaminés. Laver les vêtements contaminés avant de les réutiliser. Assurez-vous que des bassins oculaires et des douches de décontamination sont installés près des postes de travail.

Protection oculaire/ faciale

- : Le port de lunettes de sécurité conformes à une norme approuvée est obligatoire quand une évaluation des risques le préconise pour éviter toute exposition aux éclaboussures de liquides, à la buée, aux gaz ou aux poussières. Si un contact est possible, les protections suivantes doivent être portées, à moins qu'une évaluation indique un besoin pour une protection supérieure : lunettes de protection contre les produits chimiques et/ou écran facial. Si des risques respiratoires existent, un masque respiratoire complet peut être requis à la place.

Protection de la peau

Protection des mains

- : Lors de la manipulation de produits chimiques, porter en permanence des gants étanches et résistants aux produits chimiques conformes à une norme approuvée, si une évaluation du risque indique que cela est nécessaire. En tenant compte des paramètres indiqués par le fabricant de gants, vérifier que les gants gardent toujours leurs propriétés de protection pendant leur utilisation. Il faut noter que le temps de percement pour tout matériau utilisé dans des gants peut varier pour différents fabricants de gants. Dans le cas de mélanges, constitués de plusieurs substances, la durée de protection des gants ne peut pas être évaluée avec précision.

Protection du corps

- : L'équipement de protection individuelle pour le corps doit être adapté à la tâche exécutée et aux risques encourus, et approuvé par un expert avant toute manipulation de ce produit.

Autre protection pour la peau

- : Il faut sélectionner des chaussures appropriées et toute autre mesure appropriée de protection de la peau en fonction de la tâche en cours et des risques en cause et cette sélection doit être approuvée par un spécialiste avant de manipuler ce produit.

Section 8. Contrôle de l'exposition/protection individuelle

- Protection respiratoire** : En fonction du risque et de la possibilité d'une exposition, choisir un respirateur qui est conforme à la norme ou certification appropriée. Les respirateurs doivent être utilisés suivant un programme de protection pour assurer un ajustement, une formation appropriée et d'aspects d'utilisation importants.
- Pour les sites de travail américains où une protection respiratoire est requise, s'assurer qu'un programme de protection respiratoire répondant aux exigences de la norme 29 CFR 1910.134 est en place.

Section 9. Propriétés physiques et chimiques et caractéristiques de sécurité

Toutes les propriétés sont mesurées à température et pression standard, sauf indication contraire.

Apparence

- État physique** : Liquide.
- Couleur** : Brun.
- Odeur** : Neutre. [Faible]
- Seuil olfactif** : Non disponible.
- pH** : 5 à 7 [Conc. (% poids / poids): 1%]
- Point de fusion et point de congélation** : Non disponible.
- Point d'ébullition, point d'ébullition initial et plage d'ébullition** : Non disponible.
- Point d'éclair** : >100°C (>212°F)
- Taux d'évaporation** : Non disponible.
- Inflammabilité** : Non disponible.
- Limite supérieure/inférieure d'inflammabilité ou d'explosivité** : Non disponible.
- Tension de vapeur** : Non disponible.
- Densité de vapeur relative** : Non disponible.
- Densité relative** : 0.985 à 1.005
- Solubilité dans l'eau** : Dispersible.
- Coefficient de partage n-octanol/eau** : Non applicable.
- Température d'auto-inflammation** : Non disponible.
- Température de décomposition** : Non disponible.
- Viscosité** : Non disponible.
- Caractéristiques des particules**
- Taille médiane des particules** : Non applicable.

Section 10. Stabilité et réactivité

- Réactivité** : Aucune donnée d'essai spécifique à la réactivité disponible pour ce produit ou ses ingrédients.
- Stabilité chimique** : Le produit est stable.
- Risque de réactions dangereuses** : Dans des conditions normales de stockage et d'utilisation, aucune réaction dangereuse ne se produit.
- Conditions à éviter** : Températures extrêmes. Ne pas exposer au soleil.
- Matériaux incompatibles** : Matières très oxydantes, les acides et les alcalins.
- Produits de décomposition dangereux** : Dans des conditions normales de stockage et d'utilisation, aucun produit de décomposition dangereux ne devrait apparaître.

Section 11. Données toxicologiques

Renseignements sur les effets toxicologiques

Toxicité aiguë

Nom du produit ou de l'ingrédient	Résultat	Espèces	Dosage	Exposition
diéthylène glycol	DL50 Cutané	Lapin	11890 mg/kg	-
	DL50 Orale	Rat	12000 mg/kg	-

Conclusion/Résumé : Nocif en cas d'ingestion.

Irritation/Corrosion

Nom du produit ou de l'ingrédient	Résultat	Espèces	Potentiel	Exposition	Observation
diéthylène glycol	Peau - Léger irritant	Humain	-	72 heures	-
	Peau - Léger irritant	Lapin	-	112 mg l 500 mg	-

Conclusion/Résumé

- Peau** : Provoque une légère irritation cutanée.
- Yeux** : Corrosif pour les yeux. Provoque de graves lésions des yeux.
- Respiratoire** : Aucun effet important ou danger critique connu.

Sensibilisation

Non disponible.

Conclusion/Résumé

- Peau** : Aucun effet important ou danger critique connu.
- Respiratoire** : Aucun effet important ou danger critique connu.

Mutagénicité

Non disponible.

Conclusion/Résumé : Aucun effet important ou danger critique connu.

Cancérogénicité

Non disponible.

Section 11. Données toxicologiques

Conclusion/Résumé : Aucun effet important ou danger critique connu. Sur la base des informations fournies, ce produit ne contient aucun agent cancérigène ou agent cancérigène potentiel répertorié par l'OSHA, le CIRC ou le NTP.

Toxicité pour la reproduction

Non disponible.

Conclusion/Résumé : Aucun effet important ou danger critique connu.

Tératogénicité

Non disponible.

Conclusion/Résumé : Aucun effet important ou danger critique connu.

Toxicité systémique pour certains organes cibles - exposition unique -

Non disponible.

Toxicité pour certains organes cibles - expositions répétées -

Non disponible.

Risque d'absorption par aspiration

Non disponible.

Renseignements sur les voies d'exposition probables : Contact cutané. Contact avec les yeux. Inhalation. Ingestion.

Effets aigus potentiels sur la santé

Contact avec les yeux : Corrosif pour les yeux. Provoque de graves lésions des yeux.

Inhalation : Aucun effet important ou danger critique connu.

Contact avec la peau : Provoque une légère irritation cutanée.

Ingestion : Nocif en cas d'ingestion.

Symptômes correspondant aux caractéristiques physiques, chimiques et toxicologiques

Contact avec les yeux : Les symptômes néfastes peuvent éventuellement comprendre ce qui suit:
douleur
larmolement
rougeur

Inhalation : Aucune donnée spécifique.

Contact avec la peau : Les symptômes néfastes peuvent éventuellement comprendre ce qui suit:
irritation
rougeur

Ingestion : Aucune donnée spécifique.

Effets différés et immédiats ainsi que les effets chroniques causés par une exposition à court et à long terme

Exposition de courte durée

Effets immédiats possibles : Voir ci-dessus.

Effets différés possibles : Voir dessous.

Exposition de longue durée

Effets immédiats possibles : Voir ci-dessus.

Effets différés possibles : Voir dessous.

Effets chroniques potentiels sur la santé

Section 11. Données toxicologiques

Non disponible.

- Conclusion/Résumé** : Aucun effet important ou danger critique connu.
- Généralités** : Aucun effet important ou danger critique connu.
- Cancérogénicité** : Aucun effet important ou danger critique connu.
- Mutagénicité** : Aucun effet important ou danger critique connu.
- Toxicité pour la reproduction** : Aucun effet important ou danger critique connu.

Valeurs numériques de toxicité

Estimations de la toxicité aiguë

Nom du produit ou de l'ingrédient	Orale (mg/kg)	Cutané (mg/kg)	Inhalation (gaz) (ppm)	Inhalation (vapeurs) (mg/l)	Inhalation (poussières et brouillards) (mg/l)
VALID	1457.7	N/A	N/A	N/A	N/A
undécan-1-ol, éthoxylé	500	2500	N/A	N/A	N/A
diéthylène glycol	500	11890	N/A	N/A	N/A

Autres informations : Non disponible.

Section 12. Données écologiques

Toxicité

Nom du produit ou de l'ingrédient	Résultat	Espèces	Exposition
undécan-1-ol, éthoxylé	Aiguë CE50 2100 µg/l Eau douce	Daphnie - Daphnia magna	48 heures
	Aiguë CL50 3900 µg/l Eau douce	Poisson - Pimephales promelas	96 heures
diéthylène glycol	Aiguë CL50 75200000 µg/l Eau douce	Poisson - Pimephales promelas	96 heures

Conclusion/Résumé : Nocif pour les organismes aquatiques. Ne pas appliquer directement sur les eaux ni là où il y a des eaux de surface ou des eaux intertidales sous la laisse de haute mer. Ne pas contaminer les eaux lors du nettoyage du matériel ou de l'élimination de l'eau de lavage. Appliquer ce produit uniquement selon les directives de l'étiquette.

Persistance et dégradation

Non disponible.

Potentiel de bioaccumulation

Nom du produit ou de l'ingrédient	LogKoe	FBC	Potentiel
diéthylène glycol	-1.98	100	faible

Mobilité dans le sol

Coefficient de répartition sol/eau (K_{oc}) : Non disponible.

Autres effets nocifs : Aucun effet important ou danger critique connu.

Section 13. Données sur l'élimination

Méthodes d'élimination : Rincer le contenant trois fois ou le rincer sous pression. Ajouter les rinçures au mélange à pulvériser dans le réservoir. Vérifier si un nettoyage supplémentaire du contenant avant son élimination est exigé en vertu de la réglementation provinciale. Ne pas réutiliser les contenants pour quelque usage que ce soit. Rendre les contenants vides impropres à toute nouvelle utilisation. S'il n'y a pas de site de collecte dans la région, éliminer les contenants conformément aux exigences provinciales. Pour obtenir des renseignements sur l'élimination des produits non utilisés ou superflus, communiquer avec le fabricant ou l'organisme de réglementation provincial. Ne pas contaminer l'eau, les aliments pour la consommation humaine et la nourriture pour les animaux lors de l'entreposage ou de l'élimination.

Section 14. Informations relatives au transport

	TDG	DOT	IMDG	IATA
Numéro ONU	Non réglementé.	Non réglementé.	Non réglementé.	Non réglementé.
Désignation officielle de transport de l'ONU	-	-	-	-
Classe de danger relative au transport	-	-	-	-
Groupe d'emballage	-	-	-	-
Polluant marin	Non.	Non.	Non.	Non.

Protections spéciales pour l'utilisateur : **Transport dans les locaux de l'utilisateur** : toujours transporter dans des conteneurs fermés qui sont droits et sûrs. Assurez-vous que les personnes qui transportent le produit savent ce qu'il faut faire en cas d'accident ou de déversement.

Section 15. Informations sur la réglementation

Listes canadiennes

INRP canadien : Aucun des composants n'est répertorié.

Substances toxiques au sens de la LCPE (Loi canadienne sur la protection de l'environnement) : Aucun des composants n'est répertorié.

Réglementations Internationales

Liste des substances chimiques des tableaux I, II et III de la Convention sur les armes chimiques

Non inscrit.

Protocole de Montréal

Section 15. Informations sur la réglementation

Non inscrit.

[Convention de Stockholm relative aux polluants organiques persistants](#)

Non inscrit.

[Convention de Rotterdam sur le consentement préalable donné en connaissance de cause \(PIC\)](#)

Non inscrit.

[Protocole d'Aarhus de la CEE-ONU relatif aux POP et aux métaux lourds](#)

Non inscrit.

[Liste d'inventaire](#)

Australie	: Indéterminé.
Canada	: Tous les composants sont répertoriés ou exclus.
Chine	: Indéterminé.
Europe	: Indéterminé.
Japon	: Inventaire du Japon (CSCL) : Indéterminé. Inventaire japonais (ISHL) : Indéterminé.
Nouvelle-Zélande	: Indéterminé.
Philippines	: Indéterminé.
République de Corée	: Indéterminé.
Taiwan	: Indéterminé.
Thaïlande	: Indéterminé.
Turquie	: Indéterminé.
États-Unis	: Tous les composants sont actifs ou exemptés.
Viêt-Nam	: Indéterminé.
Réglementations États-Unis	: TSCA 8(a) CDR Exemption / Exemption partielle : Indéterminé
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	: Référencé
Clean Air Act Section 602 Class I Substances	: Non inscrit
Clean Air Act Section 602 Class II Substances	: Non inscrit
DEA List I Chemicals (Precursor Chemicals)	: Non inscrit
DEA List II Chemicals (Essential Chemicals)	: Non inscrit

[SARA 302/304](#)

[Composition/information sur les ingrédients](#)

Aucun produit n'a été trouvé.

[SARA 311/312](#)

Classification : TOXICITÉ AIGUË (orale) - Catégorie 4
LÉSIONS OCULAIRES GRAVES - Catégorie 1

[Composition/information sur les ingrédients](#)

Section 15. Informations sur la réglementation

Nom	%	Classification
undécane-1-ol, éthoxylé	20 - 25	TOXICITÉ AIGUË (orale) - Catégorie 4 LÉSIONS OCULAIRES GRAVES - Catégorie 1
diéthylène glycol	10 - 30	TOXICITÉ AIGUË (orale) - Catégorie 4 IRRITATION OCULAIRE - Catégorie 2B

Réglementations d'État

- Massachusetts** : Aucun des composants n'est répertorié.
New York : Aucun des composants n'est répertorié.
New Jersey : Aucun des composants n'est répertorié.
Pennsylvanie : Les composants suivants sont répertoriés: diéthylène glycol

Californie prop. 65

⚠ ATTENTION: Ce produit peut vous exposer à des agents chimiques, y compris dioxane, identifié par l'État de Californie comme pouvant causer le cancer, et éthylène glycol et éther monométhyle de l'éthylène glycol, identifiés par l'État de Californie comme pouvant causer des malformations congénitales ou autres troubles de l'appareil reproducteur. Pour de plus amples informations, prière de consulter www.P65Warnings.ca.gov.

Section 16. Autres informations

Historique

Date d'édition/Date de révision : 6/29/2022

Date de publication précédente : 11/27/2018

Version : 9

Légende des abréviations :

- ETA = Estimation de la toxicité aiguë
- FBC = Facteur de bioconcentration
- SGH = Système Général Harmonisé de classification et d'étiquetage des produits chimiques
- RPD = Règlement sur les produits dangereux
- IATA = Association international du transport aérien
- CVI = conteneurs en vrac intermédiaires
- code IMDG = code maritime international des marchandises dangereuses
- LogK_{ow} = coefficient de partage octanol/eau
- MARPOL = Convention internationale pour la prévention de la pollution par les navires de 1973, telle que modifiée par le Protocole de 1978. ("MARPOL" = pollution maritime)
- N/A = Non disponible
- SGG = Groupe de séparation
- NU = Nations Unies

Procédure utilisée pour préparer la classification

Classification	Justification
TOXICITÉ AIGUË (orale) - Catégorie 4 LÉSIONS OCULAIRES GRAVES - Catégorie 1	Méthode de calcul Méthode de calcul

☑ Indique quels renseignements ont été modifiés depuis la version précédente.

Avis au lecteur

Section 16. Autres informations

Partenaires de la chaîne d'approvisionnement doivent veiller à ce qu'ils passent cette FDS, et toutes autres informations pertinentes sur la sécurité à leurs clients.

AVERTISSEMENT ET LIMITATION DE RESPONSABILITE

Les informations et recommandations contenues dans cette fiche signalétique («SDS») ne concernent que les matières spécifiques visées dans les présentes (le «matériel») et ne concernent pas l'utilisation de ces matériaux en combinaison avec tout autre matériel ou processus. Les informations et recommandations contenues dans ce document sont considérées comme exactes et à jour à compter de la date de la présente fiche signalétique. Toutefois, les informations et recommandations sont présentées sans garantie, représentation OU DE LICENCE D'AUCUNE SORTE, EXPLICITE OU IMPLICITE, EN CE QUI CONCERNE à leur exactitude, exactitude ou l'exhaustivité, et le vendeur, fournisseur et fabricant de matériau et de leur filiales respectives (COLLECTIVEMENT, LES «fournisseur») EXCLUENT TOUTE RESPONSABILITÉ POUR LA CONFIANCE DANS ces informations et recommandations. Cette FDS n'est pas une garantie de sécurité. Un acheteur ou l'utilisateur du matériel (un «bénéficiaire») est chargé de veiller à ce qu'elle dispose de tous les renseignements nécessaires pour utiliser en toute sécurité du matériel pour son but spécifique.

EN OUTRE, Le destinataire assume tous les risques RELATION AVEC L'UTILISATION DE LA MATIERE. Le destinataire assume tous responsabilité d'assurer le matériau est utilisé dans toute sécurité en RESPECT DES LOIS APPLICABLES L'ENVIRONNEMENT, DE LA SANTÉ, DE SÉCURITÉ ET DE SECURITE, LES POLITIQUES ET LES LIGNES DIRECTRICES. LE FOURNISSEUR NE GARANTIT PAS LA COMMERCIALISATION DE LA MATIERE OU LA SANTE DE LA MATIERE POUR UN USAGE PARTICULIER ET N'ACCEPTE AUCUNE RESPONSABILITÉ pour blessures ou dommages causés directement ou indirectement PAR OU EN RELATION AVEC L'UTILISATION DE LA MATIERE.